

OptiPrep™ Reference List RS10

Mammalian (including all chordata) cell exosomes and other microvesicles from, tissues, cells and conditioned medium

Introduction

There are three areas of investigation where iodixanol gradients have been widely used in studies of exocytosis and exocytotic vesicles.

1. The control and organization of membrane trafficking within the cells that permits the movement of vesicles to, and ultimately their fusion with, the plasma membrane or a specific plasma membrane domain. This is covered in **OptiPrep™ Application Sheet S47**
2. The analysis of microvesicles that are expressed from the surface of cells is very widely researched and often involves separation from virus particles in the conditioned medium from virus-expressing cells. This Reference List provides a full bibliography of papers reporting these fractionations. **A detailed methodology is provided in Application Sheet S63**
3. A third associated area of investigation is the isolation and study of extracellular vesicles (EVs) from Gram-positive bacteria and fungi, and of outer membrane vesicles (OMVs) from Gram-negative bacteria. The latter in particular are widely researched and have been shown to be important in the transfer of virulence factors and the initiation of immune and inflammatory responses in host cells. This is covered in **Reference List RS11 and Application Sheet S62**

◆ These and other **Reference Lists** or **OptiPrep™ Application Sheets** can be accessed from the website: www.Optiprep.com; click on “**Reference Lists**” or “**Methodology**”.

Methodological summary

Various forms of pre-gradient processing are employed, during which intact cells and aggregated material in the culture medium are mostly removed and the exosomes or microvesicles concentrated. This is covered in much greater detail in **Application Sheet S63**

To minimize contamination of exosomes from the culture medium and or serum these solutions are either ultracentrifuged or filtered prior to contact with the cell monolayer. Occasionally serum-free medium is used.

Post-culture, cells and other large particles are first removed from the conditioned medium (CM) by differential centrifugation (**clarification step**). Sometimes a single low-speed centrifugation is used, more often two or three steps (e.g. 300 g and 5,000 g), usually for 10-15 min. Omission of the first step may lead to entrapment and loss of small vesicles into aggregates of rapidly-sedimenting larger particles at the higher g-force. Filtration is also used to remove larger contaminants: this is commonly performed using a 0.20 or 0.22 µm syringe filter, occasionally a smaller (0.1µm) or larger-pore (0.45µm) may be used. Filtration is usually used in combination with differential centrifugation, although it may be the only pre-gradient treatment.

Concentration of exosomes and other vesicles from the clarified CM usually involves pelleting 100-150,000 g for 1-2 h before resuspending in a suitable buffered medium for application to the iodixanol gradient; although there are variations to this strategy (**see Application Sheet S63**). Particularly large volumes of CM may be treated to a preliminary concentration using centrifugal ultrafiltration (5 kDa-100 kDa cut-off), to reduce the total volume prior to ultracentrifugation. Occasionally a discontinuous sucrose gradient may be used as part of the concentration process.

Purification of exosomes has been successfully executed in the following types of iodixanol gradient:

1. Top-loaded sedimentation velocity iodixanol gradients, normally centrifuged for 1.5-2 h. The gradients, although often constructed from multiple layers (i.e. discontinuous) the density interval of only 1.2% (w/v) iodixanol is so small that the 6-18% (w/v) iodixanol gradient is essentially continuous.
2. Bottom-loaded discontinuous gradients with centrifugation times of 2-3 h. Bottom-loaded or top-loaded continuous gradients; centrifuged usually at 100-200,000 g for 16-21 h; the vesicles are banded according to their buoyant density.
3. Self-generated gradients: usually run in vertical or near-vertical rotors at approx. 350,000 g for 2-3 h. The method, as with any self-generated gradient separation, has the advantage of being both simple to set up and capable of producing a very reproducible density profile.
4. **For full details of methodology see Application Sheet S63**

Bibliography

- The published papers on mammalian exosomes have been divided into the following sections:
- 1. Isolation, characterization and markers of exosomes
- 2. Clinical and biological relevance of exosomes
- 3. Cancer detection, growth and therapy – general principles
- 4. Electroporation of exosomes
- 5. All other papers listed according to cell or tissue type and/or clinical study

In Sections 1-4 references are listed alphabetically according to **first author**.

In all references research topic key words are highlighted in blue.

1. Isolation, characterization and markers of exosomes

Abramowicz, A., Widlak, P. and Pietrowska, M. (2016) *Proteomic analysis of exosomal cargo: the challenge of high purity vesicle isolation* Mol. BioSyst., **12**, 1407-1419

Ayala-Mar, S., Donoso-Quezada, J., Gallo-Villanueva, R.C., Perez-Gonzalez, V.H. and González-Valdez, J. (2019) *Recent advances and challenges in the recovery and purification of cellular exosomes* Electrophoresis **40**, 3036–3049

Barclay, R.A., Pleet, M.L., Akpamagbo, Y., Noor, K., Mathiesen, A. and Kashanchi, F. (2017) *Isolation of exosomes from HTLV-infected cells* In Human T-Lymphotropic Viruses, Methods and Protocols: Methods Mol.

Brennan, K., McGee, M., Martin, K., Richardson, C. (2018) *An optimized workflow for the isolation and purification of extracellular vesicles from small serum volumes* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PF06.19

Brennan, K., Martin, K., FitzGerald, S.P., O’Sullivan, J., Wu, Y., Blanco, A., Richardson, C., and Mc Gee, M.M. (2020) *A comparison of methods for the isolation and separation of extracellular vesicles from protein and lipid particles in human serum* Sci. Rep., **10**: 1039

Brenner, G., Onódi, Z., Nagy, C.T., Kittel, A., Keber, M.M. and Giricz, Z. (2018) *Efficient isolation of extracellular vesicles from blood plasma based on iodixanol density gradient ultracentrifugation combined with bind-elute chromatography* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PF06.12

Carnino, J.M., Lee, H. and Jin, Y. (2019) *Isolation and characterization of extracellular vesicles from broncho-alveolar lavage fluid: a review and comparison of different methods* Respir. Res., **20**: 240

Choi, D-S., Kim, D-K., Kim, Y-K. and Gho, Y.S. (2013) *Proteomics, transcriptomics and lipidomics of exosomes and ectosomes* Proteomics, **13**, 1554–1571

Choi, D-S. and Gho, Y.S. (2015) *Isolation of extracellular vesicles for proteomic profiling* In Methods in Mol. Biol., **1295**, Proteomic Profiling: Methods and Protocols, (ed. Posch, A.) Springer Science+Business Media New York pp. 167-177

De Rond, L., Libregts, S.F.W.M., Rikkert, L.G., Hau, C.M., van der Pol, E., Nieuwland, R., van Leeuwen, T.G. and Coumans, F.A.W. (2019) *Refractive index to evaluate staining specificity of extracellular vesicles by flow cytometry* J. Extracell. Ves., **8**: 1643671

Duong, P., Chung, A., Bouchareychas, L. and Raffai, R.L. (2019) *Cushioned-density gradient ultracentrifugation (C-DGUC) improves the isolation efficiency of extracellular vesicles* PLoS One **14**: e0215324

Ettelaie, C., Collier, M.E.W., Maraveyas, A. and Ettelaie, R. (2014) *Characterization of physical properties of tissue factor-containing microvesicles and a comparison of ultracentrifuge-based recovery procedures* J. Extracell. Vesicles **3**: 23592

- Fontana, S.**, Giallombardo, M. and Alessandro, R. (2017) *Technical aspects for the evaluation of exosomes and their content* In Liquid Biopsy in Cancer Patients, Current Clinical Pathology (ed. Giordano et al) Springer International Publishing AG, pp 61-70
- Freitas, D.**, Balmaña, M., Poças, J., Campos, D., Osório, H., Konstantinidi, A., Vakhrushev, S.Y., Magalhães, A. and Reis, C.A. (2019) *Different isolation approaches lead to diverse glycosylated extracellular vesicle populations* J. Extracell., Ves., **8**: 1621131
- Garcia-Romero, N.**, Madurga, R., Rackov, G., Palacin-Aliana, I., Nunez-Torres, R., Asensi-Puig, A., Carrion-Navarro, J., Esteban-Rubio, S., Peinado, H. et al (2019) *Polyethylene glycol improves current methods for circulating extracellular vesicle-derived DNA isolation* J. Transl. Med., **17**: 75
- Gholizadeha, S.**, Draz, M.S., Zarghoonic, M., Sanati-Nezhadd, A., Ghavamie, S., Shafiee, H. and Akbarih, M. (2017) *Microfluidic approaches for isolation, detection, and characterization of extracellular vesicles: Current status and future directions* Biosens. Bioelectron., **91**, 588–605
- Gorgun, C.**, Reverberi, D., Rotta, G., Villa, F., Quarto, R. and Tasso, R. (2019) *Isolation and flow cytometry characterization of extracellular-vesicle subpopulations derived from human mesenchymal stromal cells* Curr. Protocols in Stem Cell Biol., **48**: e76, Wiley Online Library
- Greening, D.W.**, Xu, R., Ji, H., Tauro, B.J. and Simpson, R.J. (2015) *A protocol for exosome isolation and characterization: evaluation of ultracentrifugation, density-gradient separation, and immunoaffinity capture methods* In Proteomic Profiling: Methods and Protocols, Methods in Mol. Biol., **1295** (ed. Posch, A.) Springer Science+Business Media New York pp 179-209
- György, B.**, Szabó, T.G., Pászto, I., M., Pál, Z., Misják, P., Aradi, B., László, V., Pállinger, E., Pap, E., Kittel, A., Nagy, G., Falus, A. and Buzás, E.I. (2011) *Membrane vesicles, current state-of-the-art: emerging role of extracellular vesicles* Cell. Mol. Life Sci., **68**, 2667–2688
- Hessvik, N.P.** and Llorente, A. (2018) *Current knowledge on exosome biogenesis and release* Cell. Mol. Life Sci., **75**, 193–208
- Hou, R.**, Li, Y., Sui, Z., Yuan, H., Yang, K., Liang, Z., Zhang, L. and Zhang, Y. (2019) *Advances in exosome isolation methods and their applications in proteomic analysis of biological samples* Anal. Bioanal. Chem., **411**, 5351–5361
- Hurwitz, S.N.** and Meckes, D.G. (2017) *An adaptable polyethylene glycol-based workflow for proteomic analysis of extracellular vesicles* In Extracellular Vesicles: Methods and Protocols, Methods Mol. Biol., **1660**, (ed. Kuo, W.P. and Jia, S.) Springer Science+Business Media, LLC, pp 303-317
- Jimenez, L.**, Yu, H., McKenzie, A.J., Franklin, J.L., Patton, J.G., Liu, Q. and Weaver, A.M. (2019) *Quantitative proteomic analysis of small and large extracellular vesicles (EVs) reveals enrichment of adhesion proteins in small EVs* J. Proteome Res., **18**, 947–959
- Kang, H.**, Kim, J. and Park, J. (2017) *Methods to isolate extracellular vesicles for diagnosis* Micro Nano Syst. Lett., **5**: 15
- Ko, S.Y.**, Lee, W.J., Kenny, H.A., Dang, L.H., Ellis, L.M., Jonasch, E., Lengyel, E. and Naora, H. (2019) *Cancer-derived small extracellular vesicles promote angiogenesis by heparin-bound, bevacizumab-insensitive VEGF, independent of vesicle uptake* Commun. Biol., **2**: 386
- Kreimer, S.**, Belov, A.M., Ghiran, I., Murthy, S.K., Frank, D.A. and Ivanov, A.R. (2015) *Mass-spectrometry-based molecular characterization of extracellular vesicles: lipidomics and proteomics* J. Proteome Res., **14**, 2367–2384
- Lane, R.E.**, Korbie, D., Trau, M. and Hill, M.M. (2017) *Purification protocols for extracellular vesicles* In Extracellular Vesicles: Methods and Protocols, Methods Mol. Biol., **1660**, (ed. Kuo, W.P. and Jia, S.) Springer Science+Business Media, LLC, pp 111-130
- Lane, R.E.**, Korbie, D., Anderson, W., Vaidyanathan, R. and Trau, M. (2015) *Analysis of exosome purification methods using a model liposome system and tunable-resistive pulse sensing* Scientific Rep., **5**: 7639
- Lässer, C.**, Suzuki, S., Park, K-S., Shelke, G., Hovhannisyanyan, L., Crescitelli, R. and Lötval, J. (2017) *Proteomic analysis of mouse lung tissue-derived vesicles, a comparison of ultracentrifugation and density flotation isolation* J. Extracell. Vesicles Abstr. PT07.08
- Li, K.**, Wong, D.K., Hong, K.Y. and Raffai, R.L. (2018) *Cushioned-density gradient ultracentrifugation (C-DGUC): a refined and high performance method for the isolation, characterization, and use of exosomes* In Extracellular RNA: Methods and Protocols, Methods in Mol. Biol., **1740** (ed. Patel, T.) Springer Science+Business Media, New York, pp 69-83
- Liao, Z.**, Jaular, L.M., Soueidi, E., Jouve, M., Muth, D.C., Schøyen, T.H., Seale, T., Haughey, N.J. et al (2019) *Acetylcholinesterase is not a generic marker of extracellular vesicles* J. Extracell. Ves., **8**: 1628592
- Lobb, R.J.**, Becker, M., Wen, S.W., Wong, C.S.F., Wiegmanns, A.P., Leimgruber, A. and Andreas Möller C. (2015) *Optimized exosome isolation protocol for cell culture supernatant and human plasma* J. Extracell. Vesicles **4**: 27031

- Mathivanan, S., Ji, H. and Simpson, R.J.** (2010) *Exosomes: extracellular organelles important in intercellular communication* J. Proteomics, **73**, 1907-1920
- McNamara, R.P., Caro-Vegas, C.P., Costantini, L.M., Landis, J.T., Griffith, J.D., Damania, B.A. and Dittmer, D.P.** (2018) *Large-scale, cross-flow based isolation of highly pure and endocytosis-competent extracellular vesicles* J. Extracell. Vesic., **7**: 1541396
- Momen-Heravi, F.** (2017) *Isolation of extracellular vesicles by ultracentrifugation* In Extracellular Vesicles: Methods and Protocols, Methods Mol. Biol., **1660**, (ed. Kuo, W.P. and Jia, S.) Springer Science+Business Media, LLC, pp 25-32
- Monguio-Tortajada, M., Galvez-Monton, C., Bayes-Genis, A., Roura, S. and Borràs, F.E.** (2019) *Extracellular vesicle isolation methods: rising impact of size-exclusion chromatography* Cell. Mol. Life Sci., **76**, 2369–2382
- Neerukonda, S.N., Egan, N.A., Patria, J., Assakhi, I., Tavlarides-Hontz, P., Modla, S., Muñoz, E.R., Hudson, M.B. and Parcells, M.S.** (2019) *Comparison of exosomes purified via ultracentrifugation (UC) and Total Exosome Isolation (TEI) reagent from the serum of Marek's disease virus (MDV)-vaccinated and tumor-bearing chickens* J. Virol. Meth., **263**, 1–9
- Onódi, Z., Pelyhe, C., Nagy, C.T., Brenner, G.B., Alamsi, L., Kittel, A., Mancek-Keber, M., Ferdinandy, P., Buzás, E.I. and Giricz, Z.** (2018) *Isolation of high-purity extracellular vesicles by the combination of iodixanol density gradient ultracentrifugation and bind-elute chromatography from blood plasma* Front. Physiol., **9**: 1479
- Paolini, L., Zendrini, A., Di Noto, G., Busatto, S., Lottini, E., Radeghieri, A., Dossi, A., Caneschi, A., Ricotta, D. and Bergese, P.** (2016) *Residual matrix from different separation techniques impacts exosome biological activity* Sci. Rep., **6**: 23550
- Raimondo, F., Morosi, L., Chinello, C., Magni, F. and Pitto, M.** (2011) *Advances in membranous vesicle and exosome proteomics improving biological understanding and biomarker discovery* Proteomics, **11**, 709–720
- Rupert, D.L.M., Claudio, V., Lässer, C. and Bally, M.** (2017) *Methods for the physical characterization and quantification of extracellular vesicles in biological samples* Biochim. Biophys. Acta, **1861**, 3164–3179
- Shao, H., Im, H., Castro, C.M., Breakefield, X., Weissleder, R. and Lee, H.** (2018) *New technologies for analysis of extracellular vesicles* Chem. Rev., **118**, 1917–1950
- Sharma, S., Scholz-Romero, K., Rice, G.E. and Salomon, C.** (2018) *Methods to enrich exosomes from conditioned media and biological fluids* In Preeclampsia: Methods and Protocols, Methods in Mol. Biol., **1710**, (ed. Murthi, P. and Vaillancourt, C.) Springer Science+Business Media, New York, pp 103-115
- Shpacovitch, V. and Hergenröder, R.** (2018) *Optical and surface plasmonic approaches to characterize extracellular vesicles A review* Analyt. Chim. Acta, **1005**, 1-15
- Tamura, R. and Yin, H.** (2017) *Rationally-designed peptide probes for extracellular vesicles* Adv. Clin. Chem., **79**, 25-41
- Taylor, D.D. and Shah, S.** (2015) *Methods of isolating extracellular vesicles impact down-stream analyses of their cargoes* Methods, **87**, 3–10
- Tulkens, J., De Wever, O. and Hendrix, A.** (2020) *Analyzing bacterial extracellular vesicles in human body fluids by orthogonal biophysical separation and biochemical characterization* Nat. Protoc., **15**, 40–67
- Vergauwen, G., Dhondt, B., Van Deun, J., De Smedt, E., Berx, G., Timmerman, E., Gevaert, K., Miinalainen, I. et al** (2017) *Confounding factors of ultrafiltration and protein analysis in extracellular vesicle research* Sci. Rep., **7**: 2704
- Zaborowski, M.J.P., Balaj, L., Breakefield, X.O. and Lai, C.P.** (2015) *Extracellular vesicles: composition, biological relevance, and methods of study* BioScience **65**, 783–797
- Zhang, M., Jin, K., Gao, L., Zhang, Z., Li, F., Zhou, F. and Zhang, L.** (2018) *Methods and technologies for exosome isolation and characterization* Small Meth., **2**: 1800021
- Zhang, P., Yeo, J.C. and Lim, C.T.** (2019) *Advances in technologies for purification and enrichment of extracellular vesicles* SLAS Technol., **24**, 477–488
- Zhou, M., Weber, S.R., Zhao, Y., Chen, H. and Sundstrom, J.M.** (2020) *Methods for exosome isolation and characterization* in Exosomes. <https://doi.org/10.1016/B978-0-12-816053-4.00002-X> © Elsevier Inc Chapter 2, pp 23-38

2. Clinical and biological relevance of exosomes

- Agrahari, V., Agrahari, V., Burnouf, P-A., Chew, C.H. and Burnouf, T.** (2019) *Extracellular microvesicles as new industrial therapeutic frontiers* Trends Biotechnol., **37**, 707-729
- Bellingham, S.A., Guo, B. and Hill, A.F.** (2015) *The secret life of extracellular vesicles in metal homeostasis and neurodegeneration* Biol. Cell, **107**, 389–418

- Bielska, E.**, Birch, P.R.J., Buck, A.H., Abreu-Goodger, C., Innes, R.W. Jin, H., Pfaffl, M.W., et al (2019) *Highlights of the mini-symposium on extracellular vesicles in inter-organismal communication, held in Munich, Germany, August 2018* J. Extracell. Ves., **8**: 1590116
- Colao, I.L.**, Corteling, R., Bracewell, D. and Wall, I. (2018) *Manufacturing exosomes: a promising therapeutic platform* Trends Mol. Med., **24**, 242-256
- Chaput, N.** and Théry, C. (2011) *Exosomes: immune properties and potential clinical implementations* Semin. Immunopathol., **33**, 419–440
- Choi, D.**, Spinelli, C., Montermini, L. and Rak, J. (2019) *Oncogenic regulation of extracellular vesicle proteome and heterogeneity* Proteomics, **19**, 1800169
- Dong, L.**, Zieren, R.C., Wang, Y., de Reijke, T.M., Xu, W., Pienta, K.J., (2019) *Recent advances in extracellular vesicle research for urological cancers: From technology to application* BBA Rev. Cancer, **1871**, 342–360
- Gudbergsson, J.M.**, Jønsson, K., Simonsen, J.B. and Johnsen, K.B. (2019) *Systematic review of targeted extracellular vesicles for drug delivery – Considerations on methodological and biological heterogeneity* J. Control. Release, **306**, 108–120
- Ha, D.**, Yang, N. and Nadithen, V. (2016) *Exosomes as therapeutic drug carriers and delivery vehicles across biological membranes: current perspectives and future challenges* Acta Pharmaceutica Sinica B, **6**, 287-296
- Hagiwara, K.**, Ochiya, T. and Kosaka, N. (2014) *A paradigm shift for extracellular vesicles as small RNA carriers: from cellular waste elimination to therapeutic applications* Drug Deliv. Transl. Res., **4**:31–37
- Fleming, A.**, Sampey, G., Chung, M-C., Bailey, C., van Hoek, M.L., Kashanchi, F. and Hakami, R.M. (2014) *The carrying pigeons of the cell: exosomes and their role in infectious diseases caused by human pathogens* Pathog. Dis., **71**, 107–118
- Kanninen, K.M.**, Bister, N., Koistinaho, J. and Malm, T. (2016) *Exosomes as new diagnostic tools in CNS diseases* Biochim. Biophys. Acta, **1862**, 403–410
- Kim, O.Y.**, Lee, J. and Gho, Y.S. (2017) *Extracellular vesicle mimetics: Novel alternatives to extracellular vesicle-based theranostics, drug delivery, and vaccines* Semin.Cell Dev. Biol., **67**, 74–82
- Lu, M.**, Xing, H., Yang, Z., Sun, Y., Yang, T., Zhao, X., Cai, C., Wang, D. and Ding, P. (2017) *Recent advances on extracellular vesicles in therapeutic delivery: Challenges, solutions, and opportunities* Eur. J. Pharmaceut. Biopharmaceut., **119**, 381–395
- Manandhar, S.**, Kothandan, V.K., Oh, J., Yoo, S.H., Hwang, J. and Hwang, S.R. (2018) *A pharmaceutical investigation into exosomes* J. Pharmac. Invest., **48**, 617–626
- Matsumoto, A.**, Takahashi, Y., Chang, H-Y., Wu, Y-W., Yamamoto, A., Ishihama, Y. and Takakura, Y. (2019) *Blood concentrations of small extracellular vesicles are determined by a balance between abundant secretion and rapid clearance* J. Extracell. Vesicles, **9**: 1696517
- Momen-Heravi, F.**, Getting, S.J. and Moschos, S.A. (2018) *Extracellular vesicles and their nucleic acids for biomarker discovery* Pharmacol. Therapeut., **192**, 170-187
- Mrowczynski, O.D.**, Zacharia, B.E. and Connor, J.R. (2019) *Exosomes and their implications in central nervous system tumor biology* Progr. Neurobiol., **172**, 71–83
- Osteikoetxea, X.**, Németh, A., Sódar, B.W., Vukman, K.V. and Buzás, E.I. (2016) *Extracellular vesicles in cardiovascular disease: are they Jedi or Sith?* J. Physiol., **594**, 2881–2894
- Reiner, A.T.**, Witwer, K.W., Van Balkom, B.W.M., De Beer, J., Brodie C., Corteling, R.L., Gabrielsson, S., Gimona, M., Ibrahim, A.G. et al (2017) *Concise Review: Developing best-practice models for the therapeutic use of extracellular vesicles* Stem Cells Translat. Med., **6**, 1730–1739
- Revenfeld, A.L.S.**, Bæk, R., Nielsen, M.H., Stensballe, A., Varming, K. and Jørgensen, M. (2014) *Diagnostic and prognostic potential of extracellular vesicles in peripheral blood* Clin. Ther., **36**, 830-84
- Safdar, A.**, Saleem, A. and Tarnopolsky, M.A. (2016) *The potential of endurance exercise-derived exosomes to treat metabolic diseases* Nature Rev., **12**, 505-517
- Shimasaki, T.**, Yamamoto, S, and Arisawa, T. (2018) *Exosome research and co-culture study* Biol. Pharm. Bull., **41**, 1311–1321
- Shin, J.**, Kwon, Y., Lee, S., Na, S., Hong, E.Y., Ju, S., Jung, H-G., Kaushal, P., Shin, S., Back, J.H. et al (2019) *Common repository of FBS proteins (cRFP) to be added to a search database for mass spectro-metric analysis of cell secretome* J. Proteome Res., **18**, 3800–3806
- Simpson, R.J.** (2017) *Extracellular vesicles* Semin. Cell Devel. Biol., **67**, 1–2
- Stremersch, S.**, De Smedt, S.C. and Raemdonck, K. (2016) *Therapeutic and diagnostic applications of extracellular vesicles* J. Control. Release, **244**, 167–183
- Strotman, L.N.** and Linder, M.W. (2016) *Extracellular vesicles move toward use in clinical laboratories* Clin. Lab. Med., **36**, 587–602
- Sutaria, D.S.**, Badawi, M., Phelps, M.A. and Schmittgen, T.D. (2017) *Achieving the promise of therapeutic extracellular vesicles: the devil is in details of therapeutic loading* Pharm. Res., **34**, 1053-1056

- Thacker, S.E.**, Nautiyal, M., Otieno, M.A., Watkins, P.B. and Mosedale, M. (2018) *Optimized methods to explore the mechanistic and biomarker potential of hepatocyte-derived exosomes in drug-induced liver injury* Toxicol. Sci., **163**, 92–100
- Willis, G.R.**, Mitsialis, S.A. and Kourembanas, S. (2018) “*Good things come in small packages*”: application of *exosome based therapeutics in neonatal lung injury* *Pediatr. Res.*, **83**, 298-307
- Yamamoto, T.**, Kosaka, N. and Ochiya, T. (2019) *Latest advances in extracellular vesicles: from bench to bedside* *Sci. Technol. Adv. Mater.*, **20**, 746–757
- Yamashita, T.**, Takahashi, Y., Nishikawa, M. and Takakura, Y. (2016) *Effect of exosome isolation methods on physicochemical properties of exosomes and clearance of exosomes from the blood circulation* *Eur. J. Pharma. Biopharm.*, **98**, 1–8
- Yang, Y.**, Hong, Y., Cho, E., Kim, G.B. and Kim, I-S. (2018) *Extracellular vesicles as a platform for membrane-associated therapeutic protein delivery* *J. Extracell. Vesicles*, **7**: 1440131

3. Cancer detection and therapy – general principles

- Balachandran, B.** and Yuana, Y. (2019) *Extracellular vesicles-based drug delivery system for cancer treatment* *Cogent Med.*, **6**: 1635806
- Costa, J.** (2017) *Glycoconjugates from extracellular vesicles: structures, functions and emerging potential as cancer biomarkers* *Rev. Cancer*, **1868**, 157–166
- Fu, W.**, Lei, C., Liu, S., Cui, Y., Wang, C., Qian, K., Li, T., Shen, Y., Fan, X. (2019) *CAR exosomes derived from effector CAR-T cells have potent antitumour effects and low toxicity* *Nat. Comm.*, **10**: 4355
- Gopal, S.K.**, Greening, D.W., Rai, A., Chen, M., Xu, R., Shafiq, A., Mathias, R.A., Zhu, H-J. and Simpson, R.J. (2017) *Extracellular vesicles: their role in cancer biology and epithelial–mesenchymal transition* *Biochem. J.*, **474**, 21–45
- Halder, C.V.F.**, Fonseca, E.M.B., de S. Faria, A.V. and Clerici, S.P. (2018) *Extracellular vesicles as recipe for design of smart drug delivery systems for cancer therapy* In *Drug Targeting and Stimuli Sensitive Drug Delivery Systems*, Elsevier Inc., 411-445
- Han, L.**, Xu, J., Xu, Q., Zhang, B., Lam, E.W-F. and Sun, Y. (2017) *Extracellular vesicles in the tumor microenvironment: Therapeutic resistance, clinical biomarkers, and targeting strategies* *Med. Res. Rev.*, **37**, 1318–1349
- Hyenne, V.**, Ghoroghi, S, Collot, M., Bons, J., Follain, G., Harlepp, S., Mary, B., Bauer, J., Mercier, L., Busnelli, I et al (2019) *Studying the fate of tumor extracellular vesicles at high spatiotemporal resolution using the zebrafish embryo* *Devel. Cell*, **48**, 554–572
- Lane, R.E.**, Korbie, D., Hill, M.M. and Trau, M. (2018) *Extracellular vesicles as circulating cancer biomarkers: opportunities and challenges* *Clin. Trans. Med.*, **7**: 14
- Miller, I.V.** and Grunewald, T.G.P. (2015) *Tumour-derived exosomes: Tiny envelopes for big stories* *Biol. Cell*, **107**, 287–305
- Moore, C.**, Kosgodage, U., Lange, S. and Inal, J.M. (2017) *The emerging role of exosome and microvesicle (EMV-) based cancer therapeutics and immunotherapy* *Int. J. Cancer*, **141**, 428–436
- Nazarenko, I.** (2020) *Extracellular vesicles: recent developments in technology and perspectives for cancer liquid biopsy* In *Tumor Liquid Biopsies, Recent Results in Cancer Research 215* (eds F. Schaffner et al.), 215 Springer Nature Switzerland AG 2020, pp 319-344
- Ruhen, O.** and Meehan, K. (2019) *Tumor-derived extracellular vesicles as a novel source of protein biomarkers for cancer diagnosis and monitoring* *Proteomics* 2019, **19**, 1800155
- Steinbichler, T.B.**, Dudás, J., Riechelmann, H. and Skvortsova, I-I., (2017) *The role of exosomes in cancer metastasis* *Semin. Cancer Biol.*, **44**, 170–181
- Suwakulsiri, W.**, Rai, A., Xu, R., Chen, M., Greening, D.W. and Simpson, R.J. (2019) *Proteomic profiling reveals key cancer progression modulators in shed microvesicles released from isogenic human primary and metastatic colorectal cancer cell lines* *Biochim. Biophys. Acta – Prot. Proteom.*, **1867**: 140171
- Syn, N.L.**, Wang, L., Kai-Hua Chow, E., Teck Lim, C. and Goh, B-C., (2017) *Exosomes in cancer nanomedicine and immunotherapy: prospects and challenges* *Trends Biotech.*, **35**, 665-676
- Trivedi, M.S.** and Abreu, M. (2018) *Nucleic acid profiling in tumor exosomes* In *Diagnostic and Therapeutic Applications of Exosomes in Cancer*, Elsevier Inc., 93-117
- Urabe, F.**, Kosaka, N., Yoshioka, Y., Egawa, S. and Ochiya, T. (2017) *The small vesicular culprits: the investigation of extracellular vesicles as new targets for cancer treatment* *Clin. Trans. Med.*, **6**: 45
- Wang, W.**, Luo, J. and Wang, S. (2018) *Recent progress in isolation and detection of extracellular vesicles for cancer diagnostics* *Adv. Healthcare Mater.*, **7**: 800484
- Wu, K.**, Xing, F., Wu, S-Y. and Watabe, K. (2017) *Extracellular vesicles as emerging targets in cancer: Recent development from bench to bedside* *BBA – Rev. Cancer*, **1868**, 538–563
- Wu, A.Y-T.**, Ueda, K. and Lai, C.P-K. (2019) *Proteomic analysis of extracellular vesicles for cancer diagnostics* *Proteomics*, **19**: 1800162

Xu, R., Rai, A, Chen, M., Suwakulsiri, W., Greening, D.W. and Simpson, R.J. (2018) *Extracellular vesicles in cancer - implications for future improvements in cancer care* Nat., Rev. Clin. Oncol., **15**, 617-638
Yamamoto, T., Kosaka, N. and Ochiya, T. (2019) *Latest advances in extracellular vesicles: from bench to bedside* Sci. Technol. Adv. Mater., **20**, 746–757

4. Electroporation of exosomes

The use of exosomes to introduce into target cells, molecules that have been artificially inserted by electroporation, is being investigated as potential treatment for a number of diseases. The methodology involves the selection of cells, such as dendritic cells, that are engineered to express an exosomal protein linked an organ-specific peptide (e.g. the neuron-specific RVG peptide). siRNA drugs are then introduced into the exosomes by electroporation, which can thus be targeted to a specific organ (the brain in the case of the RVG peptide). This technology may be viewed as a potential means of controlling, for example in the case of the RVG peptide, Alzheimer's disease.

References to Section 4

Alvarez-Erviti, L., Seow, Y., Yin, H-F., Betts, C., Lakhali, S. and Wood, M.J.A. (2011) *Delivery of siRNA to the mouse brain by systemic injection of targeted exosomes* Nat. Biotech., **4**, 341-345
El-Andaloussi, S., Lee, Y., Lakhali-Littleton, S., Li, J., Seow, Y., Gardiner, C., Alvarez-Erviti, L., Sargent, I.L. and Wood, M.J.A. (2012) *Exosome-mediated delivery of siRNA in vitro and in vivo* Nat. Protocols, **7**, 2112-2126
Kamerkar, S., LeBleu, V.S., Sugimoto, H., Yang, S., Ruivo, C.F., Melo, S.A., Lee, J.J. and Kalluri, R. (2017) *Exosomes facilitate therapeutic targeting of oncogenic KRAS in pancreatic cancer* Nature **546**, 498-503
Kooijmans, S.A.A., Stremersch, S., Braeckmans, K., de Smedt, S.C., Hendrix, A., Wood, M.J.A., Schiffelers, R.M., Raemdonck, K. and Vader, P. (2013) *Electroporation-induced siRNA precipitation obscures the efficiency of siRNA loading into extracellular vesicles* J. Control. Release, **172**, 229-238
Lamichhane, T.N., Raiker, R.S. and Jay, S.M. (2015) *Exogenous DNA loading into extracellular vesicles via electroporation is size-dependent and enables limited gene delivery* Mol. Pharmaceut. **12**, 3650-3657
Lunavat, T.R., Jang, S.C., Nilsson, L., Park, H.T., Repiska, G., Lässer, C., Nilsson, J.A., Gho, Y.S. and Lötval, J. (2016) *RNAi delivery by exosome-mimetic nanovesicles - Implications for targeting c-Myc in cancer* Biomaterials, **10**, 231-238
Yang, Z., Xie, J., Zhu, J., Kang, C., Chiang, C., Wang, X., Wang, X., Kuang, T., Chen, F. et al (2016) *Functional exosome-mimic for delivery of siRNA to cancer: in vitro and in vivo evaluation* J. Control. Release, **243**, 160-171

5. Analytical studies on exosomes purified in iodixanol gradients

References are listed alphabetically (a) according to **tissue/cell type** and/or **research topic** and (b) **first author**. In all references **research topic key words** are highlighted in blue.

AAV-associated

Adamiak, M., Liang, Y., Mathiyalagan, P., Agarwal, M., Jha, D., Kohlbrenner, E., Chepurko, E., Jeong, D., Ceholski, D., Dubois, N., Hajjar, R. and Sahoo, S. (2018) *Robust cardiac gene delivery and evasion of neutralizing antibodies by extracellular vesicle-associated AAV vectors* Circulation, **138**, Suppl.1, abstr. 16378
Schiller, L.T., Lemus-Diaz, N., Ferreira, R.R., Böker, K.O. and Gruber, J. (2018) *Enhanced production of exosome-associated AAV by overexpression of the tetraspanin CD9* Mol. Ther. Meth. Clin. Dev., **9**, 278-287

Acute respiratory distress syndrome

Abraham, A., Krasnodembskaya, A. (2020) *Mesenchymal stem cell-derived extracellular vesicles for the treatment of acute respiratory distress syndrome* Stem Cells Transl Med. **9**, 28–38

Adenoviral delivery

Saari, H., Turunen, T., Turunen, M., Jalasvuoric, M., Butcher, S., Ylä-Herttuala, S., Viitala, T., Cerullo, V., Siljandere, P. and Yliperttula, M. (2019) *Extracellular vesicles provide a capsid-free vector for oncolytic adenoviral DNA delivery* J. Extracell. Ves., **8** (Suppl.1) OT05.01

Adipose tissue

Ying, W., Riopel, M., Bandyopadhyay, G., Dong, Y., Birmingham, A., Seo, J.B., Ofrecio, J.M., Wollam, J. et al (2017) *Adipose tissue macrophage-derived exosomal miRNAs can modulate in vivo and in vitro insulin sensitivity* Cell, **171**, 372–384

Amoeboid cancer cells

Sobreiro, M.R., Chen, J.-F., Morley, S., You, S., Steadman, K., Gill, N.K., Chu, G. C.-Y., Chung, L.W.K., Tanaka, H. et al (2017) *Amoeboid cancer cells shed extracellular vesicles enriched with nuclear derived material* J. Extracell. Vesicles Abstr. PT01.04

Anti-retroviral drugs

DeMarino, C., Pleet, M.L., Cowen, M., Barclay, R.A., Akpamagbo, Y., Erickson, J., Ndembe, N., Charurat, M., Jumare, J. et al (2018) *Antiretroviral drugs alter the content of extracellular vesicles from HIV-1-infected cells* Sci. Rep., **8**: 7653

α_1 -Antitrypsin deficiency (AATD) disease

Khodayari, N., Oshins, R., Alli, A.A., Tuna, K.M., Holliday, L.S., Krotova, K. and Brantly, M. (2019) *Modulation of calreticulin expression reveals a novel exosome-mediated mechanism of Z variant α_1 -antitrypsin disposal* J. Biol. Chem., **294**, 6240–6252

Apoptosis

Park, S.J., Kim, J.M., Kim, J., Hur, J., Park, S., Kim, K., Shin, H.-J. and Chwae, Y.-J. (2018) *Molecular mechanisms of biogenesis of apoptotic exosome-like vesicles and their roles as damage-associated molecular patterns* Proc. Natl. Acad. Sci. USA, **115**, E11721–E11730

Astrocytes/astrocytoma cells

Dominkuš, P.P., Ferdin, J., Plemenitaš, A., Peterlin, B.M. and Lenassi, M. (2017) *Nef is secreted in exosomes from Nef.GFP-expressing and HIV-1-infected human astrocytes* J. Neurovirol. **23**, 713–724

Rahimian, P. and He, J.J. (2016) *Exosome-associated release, uptake, and neurotoxicity of HIV-1 Tat protein* J. Neurovirol., **22**, 774–788

Silverman, J.M., Christy, D., Shyu, C.C., Moon, K.-M., Fernando, S., Gidden, Z., Cowan, C.M., Ban, Y. et al (2019) *CNS-derived extracellular vesicles from superoxide dismutase 1 (SOD1)^{G93A} ALS mice originate from astrocytes and neurons and carry misfolded SOD1* J. Biol. Chem., **294**, 3744–3759

Atherosclerotic cardiovascular disease

Hafiane, A. and Daskalopoulou, S.S. (2018) *Extracellular vesicles characteristics and emerging roles in atherosclerotic cardiovascular disease* Metab. Clin. Exp., **85**, 213–222

BHK cells

Hammarstedt, M. and Garoff, H. (2004) *Passive and active inclusion of host proteins in human immunodeficiency virus type 1 Gag particles during budding at the plasma membrane* J. Virol., **78**, 5686–5697

Blood – see Plasma

Bone marrow mast cells

Kormelink, T.G., Arkesteijn, G.J.A., Nauwelaers, F.A., van den Engh, G., Nolte-’t Hoen, E.N.M. and Wauben, M.H.M. (2016) *Prerequisites for the analysis and sorting of extracellular vesicle subpopulations by high-resolution flow cytometry* Cytometry Part A, **89A**, 135–147

Bone marrow mesenchymal stromal cells

Bruno, S., Tapparo, M., Collino, F., Chiabotto, G., Deregibus, M.C., Lindoso, R.S., Neri, F., Kholia, S. et al (2017) *Renal regenerative potential of different extracellular vesicle populations derived from bone marrow mesenchymal stromal cells* Tissue Eng. Part A, **23**, 1262–1273

Bovine embryo conditioned medium/bovine milk

Benmoussa, A., Laugier, J., Beauparlant, C.J., Lambert, M., Droit, A. and Provost, P. (2020) *Complexity of the microRNA transcriptome of cow milk and milk-derived extracellular vesicles isolated via differential ultracentrifugation* J. Dairy Sci. **103**:16–29

Pavani, K.C., Hendrix, A., Van Den Broeck, W., Couck, L., Szymanska, K., Lin, X., De Koster, J., Van Soom, A. and Leemans, B. (2019) *Isolation and characterization of functionally active extracellular vesicles from culture medium conditioned by bovine embryos in vitro* Int. J. Mol. Sci. 2019, **20**: 38

Brain tissue/tumour/metastasis (see also “Neural cell-derived”)

Dagur, R.S., Liao, K., Sil, S., Niu, F., Sun, Z., Lyubchenko, Y.L., Peeples, E.S., Hu, G. and Buch, S. (2019) *Neuronal-derived extracellular vesicles are enriched in the brain and serum of HIV-1 transgenic rats* J. Extracell. Vesicles, **9**: 1703249

Graner, M.W., Alzate, O., Dechkovskaia, A.M., Keene, J.D., Sampson, J.H., Mitchell, D.A. and Bigner, D.D. (2009) *Proteomic and immunologic analyses of brain tumor exosomes* FASEB J., **23**, 1541–1557

Miranda, A.M., Lasiecka, Z.M., Xu, Y., Neufeld, J., Shahriar, S., Simoes, S., Chan, R.B., Oliveira, T.G., Small, S.A. and Di Paolo, G. (2018) *Neuronal lysosomal dysfunction releases exosomes harboring APP C-terminal fragments and unique lipid signature* Nat. Comm., **9**: 291

Mrowczynski, O.D., Zacharia, B.E. and Connor, J.R. (2019) *Exosomes and their implications in central nervous system tumor biology* Progr. Neurobiol., **172**, 71–83

Rodrigues, G., Hoshino, A., Kenific, C.M., Matei, I.R., Steiner, L., Freitas, D., Kim, H.S., Oxley, P.R., Scandariato, I. et al (2019) *Tumour exosomal CEMIP protein promotes cancer cell colonization in brain metastasis* Nat. Cell Biol., **21**, 1403–1412

Breast epithelial and carcinoma cells

Baietti, M.F., Zhang, Z., Mortier, E., Melchior, A., Degeest, G., Geeraerts, A., Ivarsson, Y., Depoortere, F. et al (2012) *Syndecan-syntenin-ALIX regulates the biogenesis of exosomes* Nat. Cell Biol., **14**, 677–685

Chen, F., Chen, J., Yang, L., Liu, J., Zhang, X., Zhang, Y., Tu, Q., Yin, D., Lin, D. et al (2019) *Extracellular vesicle-packaged HIF-1 α -stabilizing lncRNA from tumour-associated macrophages regulates aerobic glycolysis of breast cancer cells* Nat. Cell Biol., **21**, 498–510

Clark, D.J., Fondrie, W.E., Liao, Z., Hanson, P.I., Fulton, A., Mao, L. and Yang, A.J. (2015) *Redefining the breast cancer exosome proteome by tandem mass tag quantitative proteomics and multivariate cluster analysis* Anal. Chem., **87**, 10462–10469

Halvaei, S., Daryani, S., Eslami-S, Z., Samadi, T., Jafarbeik-Iravani, N., Bakhshayesh, T.O., Majidzadeh-A, K. and Esmaceli, R. (2018) *Exosomes in cancer liquid biopsy: a focus on breast cancer* Mol. Ther: Nucleic Acids, **10**, 131–141

Jeurissen, S., Vergauwen, G., Van Deun, J., Lapeire, L., Depoorter, V., Miinalainen, I., Sormunen, R., Van den Broecke, R. (2017) *The isolation of morphologically intact and biologically active extracellular vesicles from the secretome of cancer-associated adipose tissue* Cell Adhes. Migrat. **11**, 196–204

Lee, J-E., Moon, P-G., Cho, Y-E., Kim, Y-B., Kim, I-S., Park, H. and Baek, M-C. (2016) *Identification of EDIL3 on extracellular vesicles involved in breast cancer cell invasion* J. Proteom., **131**, 17–28

Liu, X., Cao, M., Palomares, M., Wu, X., Li, A., Yan, W., Fong, M.Y., Chan, W-C. and Wang, S.E. (2018) *Metastatic breast cancer cells overexpress and secrete miR-218 to regulate type I collagen deposition by osteoblasts* Breast Canc. Res., **20**:127

Reis-Sobreiro, M., Chen, J-F., Novitskaya, T., You, S., Morley, S., Steadman, K., Gill, N.K., Eskaros, A. et al (2018) *Emerin deregulation links nuclear shape instability to metastatic potential* Cancer Res; **78**, 6086–6097

Thompson, C.A., Purushothaman, A., Ramani, V.C., Vlodavsky, I. and Sanderson, R.D. (2013) *Heparanase regulates secretion, composition, and function of tumor cell-derived exosomes* J. Biol. Chem., **288**, 10093–10099

Vergauwen, G., Dhondt, B., Van Deun, J., Timmerman, E., Gevaert, K., Braems, G., Van den Broecke, R. et al (2017) *Confounding factors in extracellular vesicle ultrafiltration and protein analysis* J. Extracell. Vesicles Abstr. OT7.02

Yan, W., Wu, X., Zhou, W., Fong, M.Y., Cao, M., Liu, J., Liu, X., Chen, C-H., Fadare, O., Pizzo, D.P. (2018) *Cancer-cell-secreted exosomal miR-105 promotes tumour growth through the MYC-dependent metabolic reprogramming of stromal cells* Nat. Cell Biol., **20**, 597–609

Yang, Z., Xie, J., Zhu, J., Kang, C., Chiang, C., Wang, X., Wang, X., Kuang, T., Chen, F. et al (2016) *Functional exosome-mimic for delivery of siRNA to cancer: in vitro and in vivo evaluation* J. Control. Release, **243**, 160–171

Bronchopulmonary/bronchoalveolar

Carnino, J.M., Lee, H. and Jin, Y. (2019) *Isolation and characterization of extracellular vesicles from broncho-alveolar lavage fluid: a review and comparison of different methods* Respir. Res., **20**: 240

Reis, M., Willis, G.R., Fernandez-Gonzalez, A., Mansouri, N., Mitsialis, A. and Kourembanas, S. (2018) *Mesenchymal stromal cell extracellular vesicles modulate innate and adaptive immune cells at multi-organ level in a model of bronchopulmonary dysplasia* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # OT02.04

Cardiac cells/cardiovascular disease/cardiac delivery

Adamiak, M., Liang, Y., Mathiyalagan, P., Agarwal, M., Jha, D., Kohlbrenner, E., Chepurko, E., Jeong, D., Ceholski, D., Dubois, N., Hajjar, R. and Sahoo, S. (2018) *Robust cardiac gene delivery and evasion of neutralizing antibodies by extracellular vesicle-associated AAV vectors* Circulation, **138**, Suppl.1, abstr. 16378

Aminzadeh, M.A., Rogers, R.G., Fournier, M., Tobin, R.E., Guan, X., Childers, M.K., Andres, A.M., Taylor, D.J., Ibrahim, A. et al (2018) *Exosome-mediated benefits of cell therapy in mouse and human models of Duchenne muscular dystrophy* Stem Cell Rep., **10**, 942–955

Barrachina, M.N., Calderón-Cruz, B., Fernandez-Rocca, L. and García, A. (2019) *Application of extracellular vesicles proteomics to cardiovascular disease: guidelines, data analysis, and future perspectives* *Proteomics* **19**: 1800247

Blaser, M.C. et al (2019) *Altered loading of protein cargoes in tissue-entrapped human vascular and valvular extracellular vesicles* *Arterioscler. Thromb. Vasc. Biol.*, **39**, Suppl. 1, A734

Garikipati, V.N.S., Shoja-Taheri, F., Davis, M.E. and Kishore, R. (2018) *Extracellular vesicles and the application of system biology and computational modeling in cardiac repair* *Circ. Res.*, **123**, 188-204

Cell source discrimination

Surface-enhanced Raman scattering

Fraire, J.C., Stremersch, S., Bouckaert, D., Monteyne, T., De Beer, T., Wuytens, P., De Rycke, R., Skirtach, A.G. et al (2019) *Improved label-free identification of individual exosome-like vesicles with Au@Ag nanoparticles as SERS substrate* *ACS Appl. Mater. Interfaces*, **11**, 39424–39435

Cell communication

Khandury, R., Paniushkina, L., Keller, A., Gajney-Schleicher, T. and Nazarenko, I. (2019) *Modeling tumour: key issues of cell communication by mean of EVs in a three-dimensional environment and the impact on biomarker discovery* *J. Extracell. Ves.*, **8** (Suppl.1) LB02.03

Ceramide transport

Fukushima, M., Dasgupta, D., Mauer, A.S., Kakazu, E., Nakao, K. and Malhi, H. (2018) *StAR-related lipid transfer domain 11 (STARD11)-mediated ceramide transport mediates extracellular vesicle biogenesis* *J. Biol. Chem.*, **293**, 15277–15289

Cerebro-spinal fluid

Hartmann, A., Altmeyen, H., Krasemann, S. and Glatzel, M. (2017) *Exosomes in prion diseases* In *Prion Diseases*, Neuromethods, **129**, (ed. Liberski, P.P.), © Springer Science+Business Media LLC, pp 197-207

Murillo, O.D., Thistlethwaite, W., Rozowsky, J., Subramanian, S.L., Lucero, R., Shah, N., Jackson, A.R., Srinivasan, S., Chung, A., Laurent, C.D. et al (2019) *exRNA atlas analysis reveals distinct extracellular RNA cargo types and their carriers present across human biofluids* *Cell*, **177**, 463–477

Chloride intracellular channel protein 4 (CLIC4)

Sanchez, V.C., Craig-Lucas, A., Wei, B-R., Shukla, A., Read, A., Lou, J., Simpson, M., Hunter, K. and Yuspa, S. (2017) *Chloride intracellular channel protein 4 (CLIC4) is a serological cancer biomarker released from tumour epithelial cells via extracellular vesicles* *J. Extracell. Vesicles Abstr.* PF01.12

Sanchez, V.C., Craig-Lucas, A., Wei, B-R., Read, A., Simpson, M., Luo, J., Hunter, K. and Yuspa, S. (2018) *Chloride intracellular channel protein 4 (CLIC4) is a serological cancer biomarker released from tumour epithelial cells via extracellular vesicles and required for metastasis* *J. Extracell. Ves.*, **7**, Suppl. 1, Abstr. # PT05.16

Cholangiocarcinoma cells

Khoontawad, J., Pairojkul, C., Rucksaken, R., Pinlaor, P., Wongkham, C., Yongvanit, P., Pugkhem, A., Jones, A., Plieskatt, J. et al (2017) *Differential protein expression marks the transition from infection with *Opisthorchis viverrini* to cholangiocarcinoma* *Mol. Cell. Proteomics*, **16**, 911-923

Colon/colorectal carcinoma cells (see also “Gastrointestinal cancers”)

Belov, L., Hallal, S., Matic, K., Zhou, J., Wissmueller, S., Ahmed, N., Tanjil, S., Mulligan, S.P. et al (2017) *Surface profiling of extracellular vesicles from plasma or ascites fluid using DotScan antibody microarrays* In *Serum/Plasma Proteomics: Methods and Protocols*, Methods Mol. Biol., **1619**, (ed. Greening, D.W. and Simpson, R.J.) Springer Science+Business Media, LLC, pp 263-301

Chen, M., Xu, R., Rai, A., Suwakulsiri, W., Izumikawa, K., Ishikawa, H., Greening, D.W., Takahashi, N. and Simpson, R.J. (2019) *Distinct shed microvesicle and exosome microRNA signatures reveal diagnostic markers for colorectal cancer* *PLoS One*, **14**: e0210003

Cheshomi, H. and Matin, M.M. (2019) *Exosomes and their importance in metastasis, diagnosis, and therapy of colorectal cancer* *J. Cell. Biochem.*, **120**, 2671-2686

Choi, D-S., Park, J.O., Jang, C.S., Yoon, Y.J., Jung, J.W., Choi, D-Y., Kim, J-W., Kang, J.S., Park, J., Hwang, D. et al (2011) *Proteomic analysis of microvesicles derived from human colorectal cancer ascites* *Proteomics*, **11**, 2745–2751

- Choi, D.-S.** and Gho, Y.S. (2015) *Isolation of extracellular vesicles for proteomic profiling* In Methods in Mol. Biol., **1295**, Proteomic Profiling: Methods and Protocols, (ed. Posch, A.) Springer Science+Business Media New York pp. 167-177
- De Wit, M.**, Fijneman, R.J.A., Verheul, H.M.W., Meijer, G.A., and Jimenez, C.R. (2013) *Proteomics in colorectal cancer translational research: Biomarker discovery for clinical applications* Clin. Biochem., **46**, 466–479
- Duong, H.Q.**, Nemazany, I., Rambow, F., Tang, S.C., Delaunay, S., Tharun, L., Florin, A., Büttner, R., et al (2018) *The endosomal protein CEMIP links WNT signaling to MEK1–ERK1/2 activation in selumetinib-resistant intestinal organoids* Cancer Res. **78**, 4533–4548
- Hong, B.S.**, Cho, J.-H., Kim, H., Choi, E.-J., Rho, S., Kim, J., Kim, J.H., Choi, D.-S., Kim, Y.-K., Hwang, D. and Gho, Y.S. (2009) *Colorectal cancer cell-derived microvesicles are enriched in cell cycle-related mRNAs that promote proliferation of endothelial cells* BMC Genomics, **10**:556
- Jang, S.C.**, Kim, O.Y., Yoon, C.M., Choi, D.-S., Roh, T.-Y., Park, J., Nilsson, J., Lotvall, J., Kim, Y.-K. and Gho, Y.S. (2013) *Bioinspired exosome-mimetic nanovesicles for targeted delivery of chemotherapeutics to malignant tumors* ACS Nano, **7**, 7698–7710
- Ji, H.**, Greening, D.W., Barnes, T.W., Lim, J.W., Tauro, B.J., Rai, A., Xu, R., Adda, C., Mathivanan, S. et al (2013) *Proteome profiling of exosomes derived from human primary and metastatic colorectal cancer cells reveal differential expression of key metastatic factors and signal transduction components* Proteomics, **13**, 1672–1686
- Kim, S.B.**, Kim, H.R., Park, M.C., Cho, S., Goughnour, P.C., Han, D., Yoon, I., Kim, JH, Kang, T. et al (2017) *Caspase-8 controls the secretion of inflammatory lysyl-tRNA synthetase in exosomes from cancer cells* J. Cell Biol., **216**, 2201–2216
- Mathivanan, S.**, Lim, J.W.E., Tauro, B.J., Ji, H., Moritz, R.L. and Simpson, R.J. (2010) *Proteomics analysis of A33 immunoaffinity purified exosomes released from the human colon tumor cell line LIM1215 reveals a tissue-specific protein signature* Mol. Cell. Proteomics, **9**, 197–208
- Matsumura, S.**, Minamisawa, T., Suga, K. and Shibad, K. J. (2019) *Exposed aminophospholipids enriched in a subtype of small extracellular vesicles from tumour cell lines* J. Extracell. Ves., **8** (Suppl.1) OF21.05
- McKenzie, A.J.**, Hoshino, D., Hong, N.H., Cha, D.J., Franklin, J.L., Coffey, R.J., Patton, J.G. and Weaver, A.M. (2016) *KRAS-MEK signaling controls Ago2 sorting into exosomes* Cell Rep., **15**, 978–987
- Mertens, I.**, Castiglia, M., Carreca, A.P., Baggertman, G., Peeters, M., Pauwels, P. and Rolfo, C. (2014) *Exosome analysis in cancer patients: From the preclinical towards the clinical application: Trial design* Eur. J. Cancer, **50**, Suppl. 6, 96
- Notarangelo, M.**, Zucal, C., Modelska, A., Pesce, I., Scarduelli, G., Potrich, C., Lunelli, L., Pederzoli, C., Pavan, P., la Marca, G. et al (2019) *Ultrasensitive detection of cancer biomarkers by nickel-based isolation of polydisperse extracellular vesicles from blood* EBioMedic., **43**, 114–126
- Rai, A.**, Greening, D.W., Chen, M., Xu, R., Ji, H. and Simpson, R.J. (2019) *Exosomes derived from human primary and metastatic colorectal cancer cells contribute to functional heterogeneity of activated fibroblasts by reprogramming their proteome* Proteomics, **19**: 1800148
- Shinohara, H.**, Kuranaga, Y., Kumazaki, M., Sugito, N., Yoshikawa, Y., Takai, T., Taniguchi, K., Ito, Y. and Akao, Y. (2017) *Regulated polarization of tumor-associated macrophages by miR-145 via colorectal cancer-derived extracellular vesicles* J. Immunol., **199**, 1505–1515
- Suwakulsiri, W.**, Rai, A., Xu, R., Chen, M., Greening, D. and Simpson, R. (2019) *Shed microvesicles released from human primary and metastatic colorectal cancer cell lines contain key cancer progression proteins and RNA species* J. Extracell. Ves., **8** (Suppl.1) OWP3.07=PF12.07
- Suwakulsiri, W.**, Rai, A., Xu, R., Chen, M., Greening, D.W. and Simpson, R.J. (2019) *Proteomic profiling reveals key cancer progression modulators in shed microvesicles released from isogenic human primary and metastatic colorectal cancer cell lines* Biochim. Biophys. Acta – Prot. Proteom., **1867**: 140171
- Tauro, B.J.**, Greening, D.W., Mathias, R.A., Ji, H., Mathivanan, S., Scott, A.M. and Simpson, R.J. (2012) *Comparison of ultracentrifugation, density gradient separation, and immunoaffinity capture methods for isolating human colon cancer cell line LIM1863-derived exosomes* Methods, **56**, 293–304
- Tiana, Y.**, Chen, C., Niu, Q., Zhu, S. and Yan, X. (2019) *Analysis of fluorescent labelling efficiency of extracellular vesicles derived from different kingdoms of life with lipid-binding dyes via nano-flow cytometry* J. Extracell. Ves., **8** (Suppl.1) PF06.06
- Xu, R.**, Greening, D.W., m Rai, A., Ji, H. and Simpson, R.J. (2015) *Highly-purified exosomes and shed microvesicles isolated from the human colon cancer cell line LIM1863 by sequential centrifugal ultrafiltration are biochemically and functionally distinct* Methods, **87**, 11–25
- Xu, R.**, Simpson, R.J. and Greening, D.W. (2017) *A protocol for isolation and proteomic characterization of distinct extracellular vesicle subtypes by sequential centrifugal ultrafiltration* In Exosomes and Microvesicles Methods and Protocols: Methods Mol. Biol., **1545** (ed. Hill, A.F.), Springer Science+Business Media, LLC, pp 91-116

- Xu, R.**, Greening, D.W., Chen, M., Rai, A., Ji, H., Takahashi, N. and Simpson, R.J. (2019) *Surfaceome of exosomes secreted from the colorectal cancer cell line SW480: peripheral and integral membrane proteins analyzed by proteolysis and TX114* Proteomics, **19**: 1700453
- Yoon, Y.J.**, Kim, D-K., Yoon, C.M., Park, J., Kim, Y-K., Roh, T-Y. and Ghoo, Y.S. (2014) *Egr-1 activation by cancer-derived extracellular vesicles promotes endothelial cell migration via ERK1/2 and JNK signaling pathways* PLoS One, **9**: e115170
- Yoshida, M.**, Hibino, K., Yamamoto, S., Matsumura, S., Yajima, Y., Shiba, K. (2018) *Preferential capture of EpCAM-expressing extracellular vesicles on solid surfaces coated with an aptamer-conjugated zwitterionic polymer* Biotechnol. Bioeng., **115**, 536–544

Composition and structure of extracellular vesicles

- Jeppesen, D.K.**, Fenix, A.M., Franklin, J.L., Rome, L.H., Burnette, D.T., Coffey, R.J. (2019) *Reassessment of exosome composition* Cell, **177**, 428–445
- Richardson, J.J.** and Ejima, H. (2019) *Surface engineering of extracellular vesicles through chemical and biological strategies* Chem. Mater., **31**, 2191–2201

Cricket paralysis virus

- Kerr, C.H.**, Dalwadi, U., Scott, N.E., Yip, C.K., Foster, L.J. and Jan, E. (2018) *Transmission of Cricket paralysis virus via exosome-like vesicles during infection of Drosophila cells* Sci. Rep., **8**: 17353

Cyclophilin A

- Wu, Y.**, Brennan, K. and McGee, M.M. (2019) *Investigation into a novel role for the prolyl isomerase cyclophilin A during extracellular vesicle signaling in cancer* J. Extracell. Ves., **8** (Suppl.1) PT05.03

Cystic fibrosis

- Villamizar, O.**, Waters, S.A., Scott, T., Saayman, S., Grepo, N., Urak, R., Davis, A., Jaffe, A. and Morris, K.V. (2019) *Targeted activation of cystic fibrosis transmembrane conductance regulator* Mol. Ther., **27**, 1737-1748

Cytomegalovirus infected cells

- Arakelyan, A.**, Zicari, S., Fitzgerald, W., Vanpouille, C., Lebedeva, A., Schmitt, A., Bomsel, M., Britt, W. and Margolis, L. (2018) *Human cytomegalovirus-infected cells release extracellular vesicles that carry viral surface proteins* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PF09.10
- Zicari, S.**, Arakelyan, A., Palomino, R.A.N., Fitzgerald, W., Vanpouille, C., Lebedeva, A., Schmitt, A., Bomsel, M., Britt, W. and Margolis, L. (2018) *Human cytomegalovirus-infected cells release extracellular vesicles that carry viral surface proteins* Virology, **524**, 97–105

Dendritic cells

- Kowal, J.**, Arras, G., Colombo, M., Jouve, M., Morath, J.P., Primdal-Bengtson, B., Dingli, F., Loew, D., Tkach, M. and Théry, C. (2016) *Proteomic comparison defines novel markers to characterize heterogeneous populations of extracellular vesicle subtypes* Proc. Natl. Acad. Sci. USA, **113**, E968–E977
- Leone, D.A.**, Peschel, A., Brown, M., Schachner, H., Ball, M.J., Gyuraszova, M., Salzer-Muhar, U., Fukuda, M. et al (2017) *Surface LAMP-2 is an endocytic receptor that diverts antigen internalized by human dendritic cells into highly immunogenic exosomes* J. Immunol., **199**, 531–546
- Mfunyi, C.M.**, Vaillancourt, M., Vitry, J., Nsimba Batomene, T-R., Posvandzic, A., Lambert, A.A. and Gilbert, C. (2015) *Exosome release following activation of the dendritic cell immunoreceptor: A potential role in HIV-1 pathogenesis* Virology **484**, 103–112
- Stremersch, S.**, Vandenbroucke, R.E., VanWanterghem, E., Hendrix, A., De Smedt, S.C. and Raemdonck, K. (2016) *Comparing exosome-like vesicles with liposomes for the functional cellular delivery of small RNAs* J. Control. Release, **232**, 51–61
- Tkach, M.**, Kowal, J., Zucchetti, A.E., Enserink, L., Jouve, M., Lankar, D., Saitakis, M., Martin-Jaular, L. and Théry, C. (2017) *Qualitative differences in T-cell activation by dendritic cell-derived extracellular vesicle subtypes* EMBO J., **36**, 3013-3028

Diabetes mellitus

- Ilijas, J.D.**, Guanzon, D., Elfeky, O., Rice, G.E. and Salomon, C. (2017) *Bio-compartmentalization of microRNAs in exosomes during gestational diabetes mellitus* Placenta, **54**, 76-82
- Nair, S.**, Jayabalan, N., Guanzon, D., Palma, C., Scholz-Romero, K., Elfeky, O., Zuñiga, F., Ormazabal, V. et al (2018) *Human placental exosomes in gestational diabetes mellitus carry a specific set of miRNAs associated with skeletal muscle insulin sensitivity* Clin. Sci., **132**, 2451–2467

Xiao, Y., Zheng, L., Zou, X., Wang, J., Zhong, J. and Zhong, T. (2019) *Extracellular vesicles in type 2 diabetes mellitus: key roles in pathogenesis, complications, and therapy* J. Extracell. Ves., **8**: 1625677

Diabetic retinopathy

Huang, C., Fisher, K.P., Hammer, S.S., Navitskaya, S., Blanchard, G.J. and Busik, J.V. (2018) *Plasma exosomes contribute to microvascular damage in diabetic retinopathy by activating the classical complement pathway* Diabetes, **67**, 1639-1649

Mazzeo, A., Lopatina, T., Gai, C., Trento, M., Porta, M. and Beltramo, E. (2019) *Functional analysis of miR-21-3p, miR-30b-5p and miR-150-5p shuttled by extracellular vesicles from diabetic subjects reveals their association with diabetic retinopathy* Exp. Eye Res., **184**, 56–63

DNA association

Lázaro-Ibáñez, E., Shelke, G.V., Crescitelli, R., Jang, S.C., García, A., Lässer, C. and Lötvall, J. (2018) *DNA outside and inside of EVs and its role in phosphorylation of interferon regulatory factor 3* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # OT02.02

Drug delivery

Gudbergsson, J.M., Jönsson, K., Simonsen, J.B. and Johnsen, K.B. (2019) *Systematic review of targeted extracellular vesicles for drug delivery – Considerations on methodological and biological heterogeneity* J. Control. Release, **306**, 108–120

Halder, C.V.F., Fonseca, E.M.B., de S. Faria, A.V. and Clerici, S.P. (2018) *Extracellular vesicles as a recipe for design smart drug delivery systems for cancer therapy* In Drug Targeting and Stimuli Sensitive Drug Delivery Systems, Elsevier Inc., 412-445

Jang, S.C., Kim, O.Y., Yoon, C.M., Choi, D-S., Roh, T-Y., Park, J., Nilsson, J., Lotvall, J., Kim, Y-K. and Gho, Y.S. (2013) *Bioinspired exosome-mimetic nanovesicles for targeted delivery of chemotherapeutics to malignant tumors* ACS Nano, **7**, 7698–7710

Kenari, A.N., Kastaniegaard, K., Greening, D.W., Shambrook, M., Stensballe, A., Cheng, L., and Hill, A.F. (2019) *Proteomic and post-translational modification profiling of exosome-mimetic nanovesicles compared to exosomes* Proteomics, **19**: 1800161

Lai, R.C., Yeo, R.W.Y., Tan, K.H. and Lim, S.K. (2013) *Exosomes for drug delivery — a novel application for the mesenchymal stem cell* Biotechnol. Adv., **31**, 543–551

Vader, P., Mol, E.A., Pasterkamp, G. and Schiffelers, R.M. (2016) *Extracellular vesicles for drug delivery* Adv. Drug Delivery Rev., **106**, 148–156

Ebola virus

Pleet, M.L., Erickson, J., DeMarino, C., Barclay, R.A., Cowen, M., Lepene, B., Liang, J., Kuhn, J.H., Prugar, L. et al (2018) *Ebola virus VP40 modulates cell cycle and biogenesis of extracellular vesicles* J. Infect. Diseases, **218** (Suppl. 5), S365–S387

Embryonic stem cells – see also “Stem cells”

Jo, W., Jeong, D., Kim, J. and Park, J. (2016) *Self-renewal of bone marrow stem cells by nanovesicles engineered from embryonic stem cells* Adv. Healthcare Mater., **5**, 3148–3156

Kim, J., Han, C., Jo, W., Kang, S., Cho, S., Jeong, D., Gho, Y.S. and Park, J. (2017) *Cell-engineered nanovesicle as a surrogate inducer of contact-dependent stimuli* Adv. Healthcare Mater., **6**: 1700381

Kwon, M-H., Song, K-M., Limanjaya, A., Choi, M-J., Ghatak, K., Nguyen, N-M., Ock, J., Yin, G.N. et al (2019) *Embryonic stem cell-derived extracellular vesicle-mimetic nanovesicles rescue erectile function by enhancing penile neurovascular regeneration in the streptozotocin-induced diabetic mouse* Sci. Rep., **9**: 20072

Endometrial stromal cells

Koh, Y.Q., Peiris, H.N., Vaswani, K., Reed, S., Rice, G.E., Salomon, C. and Mitchell, M.D. (2016) *Characterization of exosomal release in bovine endometrial intercaruncular stromal cells* Reprod. Biol. Endocrinol., **14**: 78

Endothelial/endothelial progenitor cells

Degosserie, J., Heymans, C., Spourquet, Halbout, M., D’Auria, L., Van Der Smissen, P., Vertommen, D., Courtoy, P.J., Tyteca, D. and Pierreux, C.E. (2018) *Extracellular vesicles from endothelial progenitor cells promote thyroid follicle formation* J. Extracell. Vesicles (2028) **7**: 1487250

Ju, R., Zhuang, Z.W., Zhang, J., Lanahan, A.A., Kyriakides, T., Sessa, W.C. and Simons, M. (2014) *Angiopoietin-2 secretion by endothelial cell exosomes: regulation by the phosphatidylinositol 3-kinase*

(PI3K)/Akt/endothelial nitric oxide synthase (eNOS) and syndecan-4/syntenin pathways J. Biol. Chem., **289**, 510-519

Enterovirus

Gu, J., Wu, J., Fang, D., Qiu, Y., Zou, X., Jia, X., Yin, Y., Shen, L. and Mao, L. (2020) *Exosomes cloak the virion to transmit Enterovirus 71 non-lytically* Virulence **11**, 32–38

Epididymosomes

Reilly, J.N., McLaughlin, E.A., Stanger, S.J., Anderson, A.L., Hutcheon, K., Church, K., Mihalas, B.P. et al (2016) *Characterisation of mouse epididymosomes reveals a complex profile of microRNAs and a potential mechanism for modification of the sperm epigenome* Sci. Rep., **6**: 31794

Epithelial (cancer-related)

Sanchez, V.C., Craig-Lucas, A., Wei, B-R., Shukla, A., Read, A., Lou, J., Simpson, M., Hunter, K. and Yuspa, S. (2017) *Chloride intracellular channel protein 4 (CLIC4) is a serological cancer biomarker released from tumour epithelial cells via extracellular vesicles* J. Extracell. Vesicles Abstr. PF01.12

Sanchez, V.C., Craig-Lucas, A., Wei, B-R., Read, A., Simpson, M., Luo, J., Hunter, K. and Yuspa, S. (2018) *Chloride intracellular channel protein 4 (CLIC4) is a serological cancer biomarker released from tumour epithelial cells via extracellular vesicles and required for metastasis* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PT05.16

Sanchez, V.C., Craig-Lucas, A., Lou, J., Hunter, K. and Yuspa, S. (2019) *Chloride intracellular channel protein 4 (CLIC4) is a serological cancer biomarker released from tumour epithelial cells via extracellular vesicles and required for metastasis* J. Extracell. Ves., **8** (Suppl.1) LBF01.06

Tauro, B.J., Mathias, R.A., Greening, D.W., Gopal, S.K., Ji, H., Kapp, E.A., Coleman, B.M., Hill, A.F., Kusebauch, U. et al (2013) *Oncogenic H-Ras reprograms Madin-Darby Canine Kidney (MDCK) cell-derived exosomal proteins following epithelial-mesenchymal transition* Mol. Cell. Proteom., **12**: 2148–2159

Epstein Barr virus

Higuchi, H., Yamakawa, N., Imadome, K-I., Yahata, T., Kotaki, R., Ogata, J., Kakizaki, M., Fujita, K., Lu, J. et al (2018) *Role of exosomes as a proinflammatory mediator in the development of EBV-associated lymphoma* Blood, **131**, 2552-2567

Hurwitz, S.N., Nkosi, D., Conlon, M.M., York, S.B., Liu, X., Tremblay, D.C. and Meckes, D.G. (2017) *CD63 regulates Epstein-Barr virus LMP1 exosomal packaging, enhancement of vesicle production, and noncanonical NF- κ B signaling* J. Virol., **91**: e02251-16

Hurwitz, S.N., Cheerathodi, M.R., Nkosi, D., York, S.B., Meckes, Jr., D.G. (2108) *Tetraspanin CD63 bridges autophagic and endosomal processes to regulate exosomal secretion and intracellular signaling of Epstein-Barr virus LMP1* J. Virol., **92**: e01969-17

Erythrocytes

Equine anaemia

Rout, E.D., Webb, T.L., Laurence, H.M., Long, L. and Olver, C.S. (2015) *Transferrin receptor expression in serum exosomes as a marker of regenerative anaemia in the horse* Equine Vet. J., **47**, 101–106

Plasmodium-infected

Sisquella, X., Ofir-Birin, Y., Pimentel, M.A., Cheng, L., Karam, P.A. Sampaio, N.G., Penington, J.S., Connolly, D. et al (2017) *Malaria parasite DNA-harboring vesicles activate cytosolic immune sensors* Nat. Comm., **8**: 1985

Regev-Rudzki, N., Wilson, D.W., Carvalho, T.G., Sisquella, X., Coleman, B.M., Rug, M., Bursac, D., Angrisano, F., Gee, M., Hill, A.F., Baum, J. and Cowman, A.F. (2013) *Cell-cell communication between malaria-infected red blood cells via exosome-like vesicles* Cell, **153**, 1120–1133

White cell labelling with ^{99m}Tc

Sona, S.H., Oh, J.M., Gangadaran, P., Ji, H.D., Lee, H.W., Rajendran, R.L., Baek, S.H., Gopal, A., Kalimuthu, S. et al (2020) *White blood cell labeling with Technetium-99m (^{99m}Tc) using red blood cell extracellular vesicles-mimetics* Blood Cells Mol. Diseases, **80**: 102375

Exosome profiling

Akagi, T. and Ichiki, T. (2017) *Microcapillary chip-based extracellular vesicle profiling system* In *Extracellular Vesicles: Methods and Protocols*, Methods Mol. Biol., **1660**, (ed. Kuo, W.P. and Jia, S.) Springer Science+Business Media, LLC, pp 209-217

Minciacci, V.R., Spinelli, C., Reis-Sobreiro, M., Cavallini, L., You, S., Zandian, M., Li, X., Mishra, R., Chiarugi, P., Adam, R.M. et al (2017) *MYC mediates large oncosome-induced fibroblast reprogramming in prostate cancer* Cancer Res., **77**, 2306-2317

Yokota, S., Kuramochi, H., Okubo, K., Iwaya, A., Tsuchiya, S. and Ichiki, T. (2019) *Extracellular vesicles nanoarray technology: Immobilization of individual extracellular vesicles on nanopatterned polyethylene glycol-lipid conjugate brushes* PLoS One, **14**: e0224091

Exosome release

Beghein, E., Devriese, D., Hoey, E.V. and Gettemans, J. (2018) *Cortactin and fascin-1 regulate extracellular vesicle release by controlling endosomal trafficking or invadopodia formation and function* Sci. Rep., **8**:15606

Zou, W., Lai, M., Zhang, Y., Zheng, L., Xing, Z., Li, T., Zou, Z., Song, Q., Zhao, X. et al (2019) *Exosome release is regulated by mTORC1* Adv. Sci., **6**: 1801313

Exosomes versus microvesicles

Collino, F., Pomatto, M., Bruno, S., Lindoso, R.S., Tapparo, M., Sicheng, W., Quesenberry, P. and Camussi, G. (2017) *Exosome and microvesicle-enriched fractions isolated from mesenchymal stem cells by gradient separation showed different molecular signatures and functions on renal tubular epithelial cells* Stem Cell Rev. Rep., **13**, 226–243

Zhou, W., Woodson, M., Neupane, B., Bai, F., Sherman, M.B., Choi, K.H., Neelakanta, G., and Sultana, H. (2018) *Exosomes serve as novel modes of tick-borne flavivirus transmission from arthropod to human cells and facilitates dissemination of viral RNA and proteins to the vertebrate neuronal cells* PLoS Pathog., **14**: e1006764

Eye diseases

Klingeborn, M., Dismuke, W.M., Rickman, C.B. and Stamer, W.D. (2017) *Roles of exosomes in the normal and diseased eye* Prog. Retin. Eye Res., **59**, 158-177

Fibrosarcoma cells

Sung, B.H., Ketova, T., Hoshino, D., Zijlstra, A. and Weaver, A.M. (2015) *Directional cell movement through tissues is controlled by exosome secretion* Nat. Commun., **6**: 7164

Sung, B.H. and Weaver, A.M. (2017) *Exosome secretion promotes chemotaxis of cancer cells* Cell Adhes. Migrat. (2017) **11**, 187–195

Fish (Atlantic salmon kidney and Chinook salmon embryo)

Iliev, D., Strandskog, G., Nepal, A., Aspar, A., Olsen, R., Jørgensen, J., Wolfson, D., Ahluwalia, B.S., Handzhiyski, J. and Mironova, R. (2018) *Stimulation of exosome release by extracellular DNA is conserved across multiple cell types* FEBS J., **285**, 3114–3133

Folate receptor

Zheng, Z., Li, Z., Xu, C., Guo, B. and Guo, P. (2019) *Folate-displaying exosome mediated cytosolic delivery of siRNA avoiding endosome trapping* J. Control. Release **311–312**, 43–49

Gastrointestinal cancers

Lindner, K., Haier, J., Wang, Z., Watson, D.I., Hussey, D.J. and Hummel, R. (2015) *Circulating microRNAs: emerging biomarkers for diagnosis and prognosis in patients with gastrointestinal cancers* Clin. Sci., **128**, 1–15

Lin, L.-Y., Yang, L., Zeng, Q., Wang, L., Chen, M.-L., Zhao, Z.-H., Ye, G.-D., Luo, Q.-C. et al (2018) *Tumor-originated exosomal lncUEGCI as a circulating biomarker for early-stage gastric cancer* Mol. Cancer, **17**: 84

Fu, M., Gu, J., Jiang, P., Qian, H., Xu, W. and Zhang, X. (2019) *Exosomes in gastric cancer: roles, mechanisms, and applications* Mol. Cancer, **18**: 41

Gene activation/delivery

Lainšček, D., Kadunc, L., Keber, M.M., Bratkovič, I.H., Romih, R. and Jerala, R. (2018) *Delivery of an artificial transcription regulator dCas9-VPR by extracellular vesicles for therapeutic gene activation* ACS Synth. Biol., **7**, 2715–2725

Lamichhane, T.N., Raiker, R.S. and Jay, S.M. (2015) *Exogenous DNA loading into extracellular vesicles via electroporation is size-dependent and enables limited gene delivery* Mol. Pharmaceut., **12**, 3650-3657

Glioblastoma/glioma cells

- Abels, E.R.**, Maas, S.L.N., Nieland, L., Wei, Z., Cheah, P.C., Tai, E., Kolsteeg, C.-J., Dusoswa, S.A., Ting, D.T. et al (2019) *Glioblastoma-associated microglia reprogramming is mediated by functional transfer of extracellular miR-21* Cell Rep., **28**, 3105–3119
- Azam, Z.**, Quillien, V., Wang, G. and To, S.-S.T. (2019) *The potential diagnostic and prognostic role of extracellular vesicles in glioma: current status and future perspectives* Acta Oncologica **58**, 353–362
- Choi, D.-S.**, Montermini, L. and Rak, J. (2017) *The impact of oncogenic EGFRvIII on the proteome of extracellular vesicles released from glioblastoma cells* J. Extracell. Vesicles Abstr. PT07.10
- Choi, D.**, Montermini, L., Kim, D.-K., Meehan, B., Roth, F.P. and Rak, J. (2018) *The impact of oncogenic EGFRvIII on the proteome of extracellular vesicles released from glioblastoma cells* Mol. Cell. Proteom., **17**, 1948-1964
- De Vrij, J.**, Maas, S.L.N., Kwappenberg, K.M.C., Schnoor, R., Kleijn, A., Dekker, L., Luider, T.M., de Witte, L.D., Litjens, M. et al (2015) *Glioblastoma-derived extracellular vesicles modify the phenotype of monocytic cells* Int. J. Cancer, **137**, 1630–1642
- Guo, X.**, Qiu, W., Wang, J., Liu, Q., Qian, M., Wang, S., Zhang, Z., Gao, X., Chen, Z. et al (2019) *Glioma exosomes mediate the expansion and function of myeloid-derived suppressor cells through microRNA-29a/Hbp1 and microRNA-92a/Prkar1a pathways* Int. J. Cancer: **144**, 3111–3126
- Hallal, S.**, Russell, B., Shivalingam, B., Buckland, M. and Kaufman, K. (2018) *Proteome analysis of glioma-derived extracellular vesicles isolated from neurosurgical aspirates provide markers for disease stage and progression* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PT05.14
- Hallal, S.**, Russell, B.P., Wei, H., Lee, M.Y.T., Toon, C.W., Sy, J., Shivalingam, B., Buckland, M.E. and Kaufman, K.L. (2019) *Extracellular vesicles from neurosurgical aspirates identifies chaperonin containing TCP1 subunit 6A as a potential glioblastoma biomarker with prognostic significance* Proteomics, **19**: 1800157
- Hallal, S.**, Mallawaarachy, D.M., Wei, H., Ebrahimkhani, S., Stringer, B.W., Day, B.W., Boyd, A.W. et al (2019) *Extracellular vesicles released by glioblastoma cells stimulate normal astrocytes to acquire a tumor-supportive phenotype via p53 and MYC signaling pathways* Mol. Neurobiol., **56**, 4566–4581
- Mallawaarachy, D.M.**, Hallal, S., Russell, B., Ly, L., Ebrahimkhani, S., Wei, H., Christopherson, R.I., Buckland, M.E. and Kaufman, K.L. (2017) *Comprehensive proteome profiling of glioblastoma-derived extracellular vesicles identifies markers for more aggressive disease* J. Neurooncol., **131**, 233–244

Glomerular mesenchymal stromal

- Ranghino, A.**, Bruno, S., Bussolati, B., Moggio, A., Dimuccio, V., Tapparo, M., Biancone, L., Gontero, P., Frea, B. and Camussi, G. (2017) *The effects of glomerular and tubular renal progenitors and derived extracellular vesicles on recovery from acute kidney injury* Stem Cell Res. Ther., **8** :24

Head and neck cancers

- Principe, S.**, Hui, A.B.-Y., Bruce, J., Sinha, A., Liu, F.-F. and Kislinger, T. (2013) *Tumor-derived exosomes and microvesicles in head and neck cancer: Implications for tumor biology and biomarker discovery* Proteomics **13**, 1608–1623

HEK cells

- Cabezas, S.C.** and Federico, M. (2013) *Sequences within RNA coding for HIV-1 Gag p17 are efficiently targeted to exosomes* Cell. Microbiol., **15**, 412–429
- El-Andaloussi, S.**, Lee, Y., Lakhali-Littleton, S., Li, J., Seow, Y., Gardiner, C., Alvarez-Erviti, L., Sargent, I.L. and Wood, M.J.A. (2012) *Exosome-mediated delivery of siRNA in vitro and in vivo* Nat. Protocols, **7**, 2112–2126
- Hurwitz, S.N.**, Conlon, M.M., Rider, M.A., Brownstein, N.C. and Meckes, Jr, D.G. (2016) *Nanoparticle analysis sheds budding insights into genetic drivers of extracellular vesicle biogenesis* J. Extracell. Vesicles, **5**: 31295
- Hurwitz, S.N.**, Nkosi, D., Conlon, M.M., York, S.B., Liu, X., Tremblay, D.C. and Meckes, D.G. (2017) *CD63 regulates Epstein-Barr virus LMP1 exosomal packaging, enhancement of vesicle production, and noncanonical NF- κ B signaling* J. Virol., **91**: e02251-16
- Hurwitz, S.N.**, Cheerathodi, M.R., Nkosi, D., York, S.B., Meckes, Jr., D.G. (2018) *Tetraspanin CD63 bridges autophagic and endosomal processes to regulate exosomal secretion and intracellular signaling of Epstein-Barr virus LMP1* J. Virol., **92**: e01969-17
- Kong, S.M.Y.**, Chan, B.K.K., Park, J.-S., Hill, K.J., Aitken, J.B., Cottle, L., Farghaian, H., Cole, A.R., Lay, P.A., Sue, C.M. and Cooper, A.A. (2014) *Parkinson's disease-linked human PARK9/ATP13A2 maintains zinc homeostasis and promotes α -Synuclein externalization via exosomes* Hum. Mol. Genet., **23**, 2816–2833

- Kooijmans, S.A.A.**, Stremersch, S., Braeckmans, K., de Smedt, S.C., Hendrix, A., Wood, M.J.A., Schiffelers, R.M., Raemdonck, K. and Vader, P. (2013) *Electroporation-induced siRNA precipitation obscures the efficiency of siRNA loading into extracellular vesicles* J. Control. Release, **172**, 229-238
- Lamichhane, T.N.**, Raiker, R.S. and Jay, S.M. (2015) *Exogenous DNA loading into extracellular vesicles via electroporation is size-dependent and enables limited gene delivery* Mol. Pharmaceut., **12**, 3650-3657
- Luo, X.**, Fan, Y., Park, I-W. and He, J.J. (2015) *Exosomes are unlikely involved in intercellular Nef transfer* PLoS One, **10**: e0124436
- Majumdar, R.**, Tavakoli Tameh, A. and Parent, C.A. (2016) *Exosomes mediate LT_B4 release during neutrophil chemotaxis* PLoS Biol., **14**: e1002336
- Mangeot, P-E.**, Dollet, S., Girard, M., Ciancia, C., Joly, S., Peschanski, M. and Lotteau, V. (2011) *Protein transfer into human cells by VSV-G-induced nanovesicles* Mol. Ther., **19**, 1656–1666
- Mukherjee, K.**, Ghoshal, B., Ghosh, S., Chakrabarty, Y., Shwetha, S., Das, S. and Bhattacharyya, S.N. (2016) *Reversible HuR-microRNA binding controls extracellular export of miR-122 and augments stress response* EMBO Rep., **17**, 1184-1203
- Pi, F.**, Binzel, D.W., Lee, T.J., Li, Z., Sun, M., Rychahou, P., Li, H., Haque, F. et al (2018) *Nanoparticle orientation to control RNA loading and ligand display on extracellular vesicles for cancer regression* Nat. Nanotech., **13**, 82–89
- Putz, U.**, Mah, S., Goh, C-P., Low, L-H., Howitt, J. and Tan, S-S. (2015) *PTEN secretion in exosomes* Methods, **77–78**, 57–163
- Ruiss, R.**, Jochum, S., Mocikat, R., Hammerschmidt, W. and Zeidler, R. (2011) *EBV-gp350 confers B-cell tropism to tailored exosomes and is a neo-antigen in normal and malignant B cells - new option for the treatment of B-CLL* PLoS One, **6**: e25294
- Zhang, S.**, Eitan, E., Wu, T-Y. and Mattson, M. P. (2018) *Intercellular transfer of pathogenic α -synuclein by extracellular vesicles is induced by the lipid peroxidation product 4-hydroxynonenal* Neurobiol. Aging, **61**, 52-65
- Zheng, Z.**, Li, Z., Xu, C., Guo, B. and Guo, P. (2019) *Folate-displaying exosome mediated cytosolic delivery of siRNA avoiding endosome trapping* J. Control. Release **311–312**, 43–49

HeLa cells

- Kremer, A.N.**, Zonneveld, M.I., Kremer, A.E., van der Meijden, E.D., Falkenburg, J.H.F., Wauben, M.H.M., Nolte-'t Hoen, E.N.M. and Griffioen, M. (2018) *Natural T-cell ligands that are created by genetic variants can be transferred between cells by extracellular vesicles* Eur. J. Immunol. **48**, 1621–1631

Hepatitis A and C virus particles/hepatoma cells

- Jiang, W.**, Mab, P., Deng, L. and Longa, G. (2019) *Virus protein pX facilitates naked particles of hepatitis A virus to acquire an exosome-derived membrane by interacting with ESCRT associated protein ALIX* J. Extracell. Ves., **8** (Suppl.1) LB05.03
- Jiang, W.**, Ma, P., Deng, L., Liu, Z., Wang, X., Liu, X. and Long, G. (2020) *Hepatitis A virus structural protein pX interacts with ALIX and promotes the secretion of virions and foreign proteins through exosome-like vesicles* J. Extracell. Vesic., **9**: 1716513
- Lee, J-H.**, Ostalecki, C., Zhao, Z., Kesti, T., Bruns, H., Simon, B., Saksela, K. and Baur, A.S. (2018) *HIV activates the tyrosine kinase Hck to secrete ADAM protease-containing extracellular vesicles* EbioMedicine, **28**, 151–161
- Lemon, S.M.**, Ott, J.J., Van Damme, P. and Shouval, D. (2018) *Type A viral hepatitis: A summary and update on the molecular virology, epidemiology, pathogenesis and prevention* J. Hepatol., **68**, 167–184
- Liu, Z.**, Zhang, X., Yu, Q. and He, J.J. (2014) *Exosome-associated hepatitis C virus in cell cultures and patient plasma* Biochem. Biophys. Res. Comm., **455**, 218–222
- Ren, H.**, Elgner, F., Himmelsbach, K., Akhras, S., Jiang, B., Medvedev, R., Ploen, D. and Hildt, E. (2017) *Identification of syntaxin 4 as an essential factor for the hepatitis C virus life cycle* Eur. J. Cell Biol., **96**, 542–552

Hepatitis B

- Kakizaki, M.**, Yamamoto, Y., Yabuta, S., Kurosaki, N., Kagawa, T. and Kotani, A. (2018) *The immunological function of extracellular vesicles in hepatitis B virus-infected hepatocytes* PLoS One, **13**: e0205886

Hepatocellular carcinoma

- Li, X.**, Li, C., Zhang, L., Wu, M., Cao, K., Jiang, F., Chen, D., Li, N. and Li, W. (2020) *The significance of exosomes in the development and treatment of hepatocellular carcinoma* Mol. Cancer. **19**: 1

Liu, H., Chen, W., Zhi, X., Chen, E-J., Wei, T., Zhang, J., Shen, J., Hu, L-Q., Zhao, B. et al (2018) *Tumor-derived exosomes promote tumor self-seeding in hepatocellular carcinoma by transferring miRNA-25-5p to enhance cell motility* *Oncogene*, **37**, 4964–4978

Hepatocytes

Thacker, S., Nautiyal, M., Holman, N., Otieno, M., Watkins, P. and Mosedale, M. (2017) *Hepatocyte-derived exosome enrichment and cell culture methods optimisation for the identification of novel DILI biomarkers* *J. Extracell. Vesicles Abstr.* PT06.06

Thacker, S.E., Nautiyal, M., Otieno, M.A., Watkins, P.B. and Mosedale, M. (2018) *Optimized methods to explore the mechanistic and biomarker potential of hepatocyte-derived exosomes in drug-induced liver injury* *Toxicol. Sci.*, **163**, 92–100

Wu, J-Y., Ji, A-L., Wang, Z-x., Qiang, G-H., Qu, Z., Wu, J-H. and Jiang, C-P. (2018) *Exosome-mimetic nanovesicles from hepatocytes promote hepatocyte proliferation in vitro and liver regeneration in vivo* *Sci. Rep.*, **8**: 2471

Herpes simplex virus infection

Dogrammatzis, C., Deschamps, T., Kalamvokia, M. (2019) *Biogenesis of extracellular vesicles during herpes simplex virus 1 infection: role of the CD63 tetraspanin* *J. Virol.*, **93**: e01850-18

Gärtner, K., Luckner, M., Wanner, G. and Zeidler, R. (2019) *Engineering extracellular vesicles as novel treatment options: exploiting herpesviral immunity in CLL* *J. Extracell. Vesic.* **8**: 1573051

Kalamvoki, M. and Deschamps, T. (2016) *Extracellular vesicles during Herpes Simplex Virus type 1 infection: an inquiry* *Virol. J.*, **13**: 63

HIV infected cells/tissues

Cabezas, S.C. and Federico, M. (2013) *Sequences within RNA coding for HIV-1 Gag p17 are efficiently targeted to exosomes* *Cell. Microbiol.*, **15**, 412–429

Cheruiyot, C., Pataki, Z., Ramratnam, B. and Li, M. (2018) *Proteomic analysis of exosomes and its application in HIV-1 infection* *Proteomics Clin. Appl.*, **12**: 1700142

Dagur, R.S., Liao, K., Sil, S., Niu, F., Sun, Z., Lyubchenko, Y.L., Peeples, E.S., Hu, G. and Buch, S. (2019) *Neuronal-derived extracellular vesicles are enriched in the brain and serum of HIV-1 transgenic rats* *J. Extracell. Vesicles*, **9**: 1703249

DeMarino, C., Pleet, M.L., Cowen, M., Barclay, R.A., Akpamagbo, Y., Erickson, J., Ndembe, N., Charurat, M., Jumare, J. et al (2018) *Antiretroviral drugs alter the content of extracellular vesicles from HIV-1-infected cells* *Sci. Rep.*, **8**: 7653

Hu, G., Yelamanchili, S., Kashanchi, F., Haughey, N., Bond, V.C., Witwer, K.W., Pulliam, L. and Buch, S. (2017) *Proceedings of the 2017 ISEV symposium on “BHIV, NeuroHIV, drug abuse, & EVs”* *J. Neurovirol.* **23**: 935–940

Konadu, K.A., Chu, J., Huang, M.B., Amancha, P.K., Armstrong, W., Powell, M.D., Villinger, F. and Bond, V.C. (2015) *Association of cytokines with exosomes in the plasma of HIV-1-seropositive individuals* *J. Infect. Dis.*, **211**, 1712–1716

Luo, X., Fan, Y., Park, I-W. and He, J.J. (2015) *Exosomes are unlikely involved in intercellular Nef transfer* *PLoS One*, **10**: e0124436

Martin-Jaular, L., Liao, Z., Gerber, P.P., Ostrowski, M., Witwer, K. and Théry, C. (2017) *Attempts to re-define cellular components specifically incorporated in HIV as compared to sEVs and exosomes secreted by infected cells* *J. Extracell. Vesicles Abstr.* OF18.02

Martin-Jaular, L., Liao, Z., Gerber, P., Ostrowski, M., Witwer, K., Borner, G., Thery, C. (2018) *Identifying novel cellular components specifically incorporated into HIV versus exosomes and other small EVs* *J. Extracell. Ves.*, **7**, Suppl. 1, Abstr. #OS25.06

Ouattara, L.A., Anderson, S.M. and Donce, G.F. (2018) *Seminal exosomes and HIV-1 transmission* *Andrologia*, **50**: e13220

Pérez, P.S., Romaniuk, M.A., Duette, G.A., Zhao, Z., Huang, Y., Martin-Jaular, L., Witwer, K.W., Théry, C. and Ostrowski, M. (2019) *Extracellular vesicles and chronic inflammation during HIV infection* *J. Extracell. Ves.*, **8**: 1687275

Pillay, P., Moodley, K., Vatish, M., Moodley, J., Duarte, R. and Mackraj, I. (2020) *Exosomal Th1/Th2 cytokines in preeclampsia and HIV-positive preeclamptic women on highly active anti-retroviral therapy* *Cytokine* **125** (2020) 154795

Sims, B., Farrow, A.L., Williams, S.D., Bansal, A., Krendelchikov, A. and Matthews, Q.L., (2018) *Tetraspanin blockade reduces exosome-mediated HIV-1 entry* *Arch. Virol.*, **163**, 1683–1689

Rahimian, P. and He, J.J. (2016) *Exosome-associated release, uptake, and neurotoxicity of HIV-1 Tat protein* J. Neurovirol., **22**, 774–788

HTLV infected cells

Barclay, R.A., Pleet, M.L., Akpamagbo, Y., Noor, K., Mathiesen, A. and Kashanchi, F. (2017) *Isolation of exosomes from HTLV-infected cells* In Human T-Lymphotropic Viruses, Methods and Protocols: Methods Mol. Biol., **1582** (ed. Hill, A.F.), Springer Science+Business Media, LLC, pp 57-75

Human CD4⁺ cells

Rahimian, P. and He, J.J. (2016) *Exosome-associated release, uptake, and neurotoxicity of HIV-1 Tat protein* J. Neurovirol., **22**, 774–788

Human carcinoma cells

Cooks, T., Pateras, I.S., Jenkins, L.M., Patel, K.M., Robles, A.I., Morris, J., Forshew, T., Appella, E., Gorgoulis, V.G. and Harris, C.C. (2018) *Mutant p53 cancers reprogram macrophages to tumor supporting macrophages via exosomal miR-1246* Nat. Comm., **9**: 771

Ettelaie, C., Collier, M.E.W., Maraveyas, A. and Ettelaie, R. (2014) *Characterization of physical properties of tissue factor-containing microvesicles and a comparison of ultracentrifuge-based recovery procedures* J. Extracell. Vesicles **3**: 23592

Van Deun, J., Mestdagh, P., Sormunen, R., Cocquyt, V., Vermaelen, K., Vandesompele, J., Bracke, M., De Wever, O. and Hendrix, A. (2014) *The impact of disparate isolation methods for extracellular vesicles on downstream RNA profiling* J. Extracell. Vesicles **3**: 24858

Human cardiovascular tissue

Blaser, M.C. et al (2019) *Altered loading of protein cargoes in tissue-entrapped human vascular and valvular extracellular vesicles* Arterioscler. Thromb. Vasc. Biol., **39**, Suppl. 1, A734

Human hepatic cells

Mukherjee, K., Ghoshal, B., Ghosh, S., Chakrabarty, Y., Shwetha, S., Das, S. and Bhattacharyya, S.N. (2016) *Reversible HuR-microRNA binding controls extracellular export of miR-122 and augments stress response* EMBO Rep., **17**, 1184-1203

Human kidney epithelial

Rahimian, P. and He, J.J. (2016) *Exosome-associated release, uptake, and neurotoxicity of HIV-1 Tat protein* J. Neurovirol., **22**, 774–788

Human liver stem cells

Herrera Sanchez, M.B., Previdi, S., Bruno, S., Fonsato, V., Deregibus, M.C., Kholia, S., Petrillo, S., Tolosano, E., Critelli, R. et al (2017) *Extracellular vesicles from human liver stem cells restore argininosuccinate synthase deficiency* Stem Cell Res. Ther., **8**: 176

Human lung carcinoma cells

Clark, D.J., Fondrie, W.E., Yang, A. and Mao, L. (2016) *Triple SILAC quantitative proteomic analysis reveals differential abundance of cell signaling proteins between normal and lung cancer-derived exosomes* J. Proteom., **133**, 161–169

Human melanoma tissue derived

Jang, S.C., Crescitelli, R., Cvjetkovic, A., Belgrano, V., Bagge, R.O., Sundfeldt, K., Ochiya, T., Kalluri, R. and Lötvall, J. (2019) *Mitochondrial protein enriched extracellular vesicles discovered in human melanoma tissues can be detected in patient plasma* J. Extracell. Ves., **8**: 1635420

Human myelomonocytic cells

Zargarian, S., Shlomovitz, I., Erlich, Z., Hourizadeh, A., Ofir-Birin, Y., Croker, B., Regev-Rudzki, N., Edry-Botzer, L. and Gerlic, M. (2017) *Phosphatidylserine externalization, “necroptotic bodies” release, and phagocytosis during necroptosis* PLoS Biol. **15**: e2002711

Human saliva

Iwai, K., Minamisawa, T., Suga, K., Yajima, Y. and Shiba, K. (2016) *Isolation of human salivary extracellular vesicles by iodixanol density gradient ultracentrifugation and their characterization* J. Extracell. Vesicles, **5**: 30829

Murillo, O.D., Thistlethwaite, W., Rozowsky, J., Subramanian, S.L., Lucero, R., Shah, N., Jackson, A.R., Srinivasan, S., Chung, A., Laurent, C.D. et al (2019) *exRNA atlas analysis reveals distinct extracellular RNA cargo types and their carriers present across human biofluids* Cell, **177**, 463–477

Zheng, X., Chen, F., Zhang, J., Zhang, Q. and Lin, J. (2014) *Exosome analysis: a promising biomarker system with special attention to saliva* J. Membrane Biol., **247**, 1129–1136

Human sperm (acrosome)

Zhou, W., Anderson, A.L., Turner, A.P., De Iuliis, G.N., McCluskey, A., McLaughlin, E.A. and Nixon, B. (2017) *Characterization of a novel role for the dynamin mechanoenzymes in the regulation of human sperm acrosomal exocytosis* Mol. Hum. Reprod., **23**, 657–673

HUVEC-derived

Salomon, C., Scholz-Romero, K., Sarker, S., Sweeney, E., Kobayashi, M., Correa, P., Longo, S., Duncombe, G., Mitchell, M.D., Rice, G.E. and Illanes, S.E. (2016) *Gestational diabetes mellitus is associated with changes in the concentration and bioactivity of placenta-derived exosomes in maternal circulation across gestation* Diabetes, **65**, 598–609

Hypothalamus

Soetedjo, L. and Jin, H. (2014) *Agonist-induced GPCR shedding from the ciliary surface is dependent on ESCRT-III and VPS4* Curr., Biol., **24**, 509–518

Immunogenicity

Leone, D.A., Peschel, A., Brown, M., Schachner, H., Ball, M.J., Gyuraszova, M., Salzer-Muhar, U., Fukuda, M. et al (2017) *Surface LAMP-2 is an endocytic receptor that diverts antigen internalized by human dendritic cells into highly immunogenic exosomes* J. Immunol., **199**, 531–546

Intercellular communication

Mathivanan, S., Ji, H. and Simpson, R.J. (2010) *Exosomes: extracellular organelles important in intercellular communication* J. Proteomics, **73**, 1907–1920

Interferon regulatory factor 3

Lázaro-Ibáñez, E., Shelke, G.V., Crescitelli, R., Jang, S.C., García, A., Lässer, C. and Lötvall, J. (2018) *DNA outside and inside of EVs and its role in phosphorylation of interferon regulatory factor 3* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # OT02.02

Intestinal epithelial cells

Hasegawa, H., Thomas, H.J., Schooley, K. and Born, T.L. (2011) *Native IL-32 is released from intestinal epithelial cells via a non-classical secretory pathway as a membrane-associated protein* Cytokine, **53**, 74–83

In vivo tracking

Salas-Huenuleo, E., Polakovicova, I., Varas-Godoy, M., Lobos-González, L., Bejarano, J., Corvalán, A., Kogan, M.J. (2018) *A simple method to label vesicles for visualization and in vivo tracking* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PS03.09

JNK interacting protein 3

Caswell, P.T. and Dickens, M. (2018) *JIP3 localises to exocytic vesicles and focal adhesions in the growth cones of differentiated PC12 cells* Mol. Cell. Biochem., **444**, 1–13

Jurkat cells

Martin-Jaular, L., Liao, Z., Gerber, P.P., Ostrowski, M., Witwer, K. and Théry, C. (2017) *Attempts to re-define cellular components specifically incorporated in HIV as compared to sEVs and exosomes secreted by infected cells* J. Extracell. Vesicles Abstr. OF18.02

Martin-Jaular, L., Liao, Z., Gerber, P., Ostrowski, M., Witwer, K., Borner, G., Théry, C. (2018) *Identifying novel cellular components specifically incorporated into HIV versus exosomes and other small EVs* J. Extracell. Ves., **7**, Suppl. 1, Abstr. #OS25.06

Németh, A., Orgovan, N., Sódar, B.W., Osteikoetxea, X., Pálóczi, K., Szabó-Taylor, K.E., Vukman, K.V., Kittel, A. et al (2017) *Antibiotic-induced release of small extracellular vesicles (exosomes) with surface-associated DNA* Sci. Rep., 7: 8202

Keratinocytes

Lo Cicero, A., Delevoeye, C., Gilles-Marsens, F., Loew, D., Dingli F., Guéré, André, N., Vié, K., van Niel, G. and Raposo, G. (2015) *Exosomes released by keratinocytes modulate melanocyte pigmentation* Nature Comm., 6:7506

Kidney cells/disease

Krause, M., Rak-Raszewska, A., Naillat, F., Saarela, U., Schmidt, C., Ronkainen, V-P., Bart, G., Ylä-Herttuala, S. and Vainio, S.J. (2018) *Exosomes as secondary inductive signals involved in kidney organogenesis* J. Extracell. Ves., 7: 1422675

Wang, X., Wilkinson, R., Kildey, K., Potriquet, J., Mulvenna, J., Lobb, R.J., Möller, A., Cloonan, N. et al (2017) *Unique molecular profile of exosomes derived from primary human proximal tubular epithelial cells under diseased conditions* J. Extracell. Ves., 6: 1314073

Zhang, W., Zhou, X., Zhang, H., Yao, Q., Liu, Y., Dong, Z. (2016) *Extracellular vesicles in diagnosis and therapy of kidney diseases* Am. J. Physiol. Renal Physiol., 311, F844–F851

Zhou, Y. and Yang, J. (2019) *Extracellular RNA in renal diseases* ExRNA 1: 5

Kirsten rat sarcoma cells

Zhang, Q., Jeppesen, D.K., Higginbotham, J.N., Beckler, M.D., Poulin, E.J., Walsh, A.J., Skala, M.C., McKinley, E.T., Manning, H.C. et al (2018) *Mutant KRAS exosomes alter the metabolic state of recipient colonic epithelial cells* Cell. Mol. Gastroent. Hepatol., 5, 627-629-e6

Leech microglia

Arab, T., Raffo-Romero, A., Van Camp, C., Lemaire, Q., Le Marrec-Croq, F., Drago, F., Aboulouard, S., Slomianny, C., Lacoste, A-S. et al (2019) *Proteomic characterisation of leech microglia extracellular vesicles (EVs): comparison between differential ultracentrifugation and Optiprep™ density gradient isolation* J. Extracell. Ves., 8: 1603048

Liver fibrosis

Chen, L. and Brigstock, D.R. (2017) *Cellular or exosomal microRNAs associated with CCN gene expression in liver fibrosis* In CCN Proteins: Methods and Protocols, Methods Mol. Biol., 1489 (ed. Takigawa, M.) Springer Science+Business Media, New York, pp 465-480

Leukemia-derived exosomes

Pinto, D.O., DeMarino, C., Pleet, M.L., Cowen, M., Branscome, H., Al Sharif, S., Jones, J., Dutartre, H., Lepene, B. et al (2019) *HTLV-1 extracellular vesicles promote cell-to-cell contact* Frontiers Microbiol., 10, article 2147

Wierz, M., Pierson, S., Gargiulo, E., Guerin, C., Moussay, E. and Paggetti, J. (2019) *Purification of leukemia-derived exosomes to study microenvironment modulation* In Cancer Immun-surveillance: Methods and Protocols, Meth. Mol. Biol., vol. 1884 (ed. López-Soto, A. and Folgueras, A.R.) Springer Science+Business Media LLC New York, pp 231-245

Lung cancer cells

Choi, D-Y., You, S., Jung, J.H., Lee, J.C., Rho, J.K., Lee, K.Y., Freeman, M.R., Kim, K.P. and Kim, J. (2014) *Extracellular vesicles shed from gefitinib-resistant nonsmall cell lung cancer regulate the tumor microenvironment* Proteomics 2014, 14, 1845–1856

Clark, D.J., Fondrie, W.E., Yang, A. and Mao, L. (2016) *Triple SILAC quantitative proteomic analysis reveals differential abundance of cell signaling proteins between normal and lung cancer-derived exosomes* J. Proteom., 133, 161–169

Jung, J.H., Lee, M.Y., Choi, D-Y., Lee, J.W., You, S., Lee, K.Y., Kim, J. and Kim, K.P. (2015) *Phospholipids of tumor extracellular vesicles stratify gefitinib-resistant nonsmall cell lung cancer cells from gefitinib-sensitive cells* Proteomics, 15, 824–835

Lia, J., Yuc, J., Liu, A. and Wang, Y. (2014) *β -Elemene against human lung cancer via up-regulation of P53 protein expression to promote the release of exosome* Lung Cancer, 86, 144–150

Lobb, R.J., Becker, M., Wen, S.W., Wong, C.S.F., Wiegmanns, A.P., Leimgruber, A. and Andreas Möller C. (2015) *Optimized exosome isolation protocol for cell culture supernatant and human plasma* J. Extracell. Vesicles **4**: 27031

Park, J.O., Choi, D-Y., Choi, D-S., Kim, H.J., Kang, J.W., Jung, J.H., Lee, J.H., Kim, J. et al (2013) *Identification and characterization of proteins isolated from microvesicles derived from human lung cancer pleural effusions* Proteomics, **13**, 2125–2134

Lung tissue (murine)

Lässer, C., Suzuki, S., Park, K-S., Shelke, G., Hovhannisyan, L., Crescitelli, R. and Lötval, J. (2017) *Proteomic analysis of mouse lung tissue-derived vesicles, a comparison of ultracentrifugation and density flotation isolation* J. Extracell. Vesicles Abstr. PT07.08

Lymphocytic/lymphoblastoid/leukaemia cells/Tcells/natural killer cells

Arenaccio, C., Chiozzini, C., Columba-Cabezas, S., Manfredi, F., Affabris, E., Baur, A. and Federico, M. (2014) *Exosomes from human immunodeficiency virus type 1 (HIV-1)-infected cells license quiescent CD4⁺ T lymphocytes to replicate HIV-1 through a Nef- and ADAM17-dependent mechanism* J. Virol., **88**, 11529–11539

Cantin, R., Diou, J., Belanger, D., Tremblay, A.M. and Gilbert, C. (2008) *Discrimination between exosomes and HIV-1: Purification of both vesicles from cell-free supernatants* J. Immunol. Methods, **338**, 21-30

Higuchi, H., Yamakawa, N., Imadome, K-I., Yahata, T., Kotaki, R., Ogata, J., Kakizaki, M., Fujita, K., Lu, J. et al (2018) *Role of exosomes as a proinflammatory mediator in the development of EBV-associated lymphoma* Blood, **131**, 2552-2567

Hivroz, C., Larghi, P., Jouve, M. and Ardouin, L. (2017) *Purification of LAT-containing membranes from resting and activated T lymphocytes* In The Immune Synapse: Methods and Protocols, Methods Mol. Biol., **1584**, (ed. Baldari, C.T. and Dustin, M.L.) Springer Science+Business Media, LLC, pp 355-368

Jung, S., Kim, J., Lee, D.J., Oh, E.H., Lim, H., Kim, K.P., Choi, N., Kim, T.S. and Kim, S.K. (2016) *Extensible multiplex real-time PCR of microRNA using microparticles* Sci. Rep., **6**: 22975

Lenassi, M., Cagney, G., Liao, M., Vaupotic, T., Bartholomeeusen, K., Cheng, Y., Krogan, N.J., Plemenita, A. and Peterlin, B.M. (2010) *HIV Nef is secreted in exosomes and triggers apoptosis in bystander CD4⁺ T cells* Traffic, **11**, 110–122

Luo, X., Fan, Y., Park, I-W. and He, J.J. (2015) *Exosomes are unlikely involved in intercellular Nef transfer* PLoS One, **10**: e0124436

Muth, D.C., Liao, Z., Schøyen, T.H., Seale, T., Martin-Jaular, L., Ostrowski, M., Thery, C., Witwer, K. (2018) *Acetylcholinesterase activity co-isolates minimally with small EVs and does not correlate with particle count* J. Extracell. Ves., **7**, Suppl. 1, Abstr. #OF16.04

Nakai, W., Yoshida, T., Diez, D., Miyatake, Y., Nishibu, T., Imawaka, N., Naruse, K., Sadamura, Y. and Hanayama, R. (2016) *A novel affinity-based method for the isolation of highly purified extracellular vesicles* Sci. Rep., **6**: 33935

Narayanan, A., Iordanskiy, S., Das, R., Van Duyne, R., Santos, S., Jaworski, E., Guendel, I., Sampey, G., Dalby, E., et al (2013) *Exosomes derived from HIV-1-infected cells contain trans-activation response element RNA* J. Biol. Chem., **288**, 20014–20033

Padro, C.J., Shawler, T.M., Gormley, M.G. and Sanders, V.M. (2013) *Adrenergic regulation of IgE involves modulation of CD23 and ADAM10 expression on exosomes* J. Immunol., **191**, 5383–5397

Park, I-W. and He, J.J. (2010) *HIV-1 is budded from CD4⁺ T lymphocytes independently of exosomes* Virol. J., **7**: 234

Sampey, G.C., Saifuddin, M., Schwab, A., Barclay, R., Punya, S., Chung, M-C., Hakami, R.M., Zadeh, M. A. et al (2016) *Exosomes from HIV-1-infected cells stimulate production of pro-inflammatory cytokines through trans-activating response (TAR) RNA* (2016) J. Biol. Chem., **291**, 1251–1266

Thompson, C.A., Purushothaman, A., Ramani, V.C., Vlodaysky, I. and Sanderson, R.D. (2013) *Heparanase regulates secretion, composition, and function of tumor cell-derived exosomes* J. Biol. Chem., **288**, 10093–10099

Zhu, L., Kalimuthu, S., Oh, J.M., Gangadaran, P., Baek, S.H., Jeong, S.Y., Lee, S-W., Lee, J. and Ahn, B-C. (2019) *Enhancement of antitumor potency of extracellular vesicles derived from natural killer cells by IL-15 priming* Biomaterials **190–191**, 38–50

Macrophages (see “Monocytes”)

Mammary epithelia

Chin, A.R., Yan, W., Cao, M., Liu, X. and Wang, S.E. (2018) *Polarized secretion of extracellular vesicles by mammary epithelia* J. Mammary Gland Biol. Neoplasia, **23**, 165–176

Mast cells

- Cvjetkovic, A.**, Jang, S.C., Konečná, B., Höög, J.L., Sihlbom, C., Lässer, C. and Lötval, J. (2016) *Detailed analysis of protein topology of extracellular vesicles—evidence of unconventional membrane protein orientation* Sci. Rep., **6**: 36338
- Kormelink, T.G.**, Arkesteijn, G.J.A., van de Lest, C.H.A., Geerts, W.J.C., Goerdal, S.S., Altelar, M.A.F., Redegeld, F.A., Nolte-’t Hoen, E.N.M. and Wauben, M.H.M. (2016) *Mast cell degranulation is accompanied by the release of a selective subset of extracellular vesicles that contain mast cell-specific proteases* J. Immunol., **197**, 382–3392
- Lázaro-Ibáñez, E.**, Shelke, G.V., Crescitelli, R., Jang, S.C., García, A., Lässer, C. and Lötval, J. (2018) *DNA outside and inside of EVs and its role in phosphorylation of interferon regulatory factor 3* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # OT02.02
- Liang, Y.**, Huang, S., Qiao, L., Peng, X., Li, C., Lin, K., Xie, G., Li, J. et al (2019) *Characterization of protein, long noncoding RNA and microRNA signatures in extracellular vesicles derived from resting and degranulated mast cells* J. Extracell. Vesicles **9**: 1697583
- Rupert, D.L.M.**, Shelke, G.V., Emilsson, G., Claudio, V., Block, S. Lässer, C., Dahlin, A., Lötval, J.O., Bally, M., Zhdanov, V.P. and Höök, F. (2016) *Dual-wavelength surface plasmon resonance for determining the size and concentration of sub-populations of extracellular vesicles* Anal. Chem., **88**, 9980–9988
- Shelke, G.** and Lötval, J. (2017) *Recipient cell organelle separation for EV uptake studies: Tracking of extracellular vesicles* J. Extracell. Vesicles Abstr. LBP.45
- Zabeo, D.**, Cvjetkovic, A., Lässer, C., Schorb, M., Lötval, J. and Höög, J.L. (2017) *Exosomes purified from a single cell type have diverse morphology* J. Extracell. Ves., **6**: 1329476

MDCK cells

- Casas, E.**, Barron, C., Francis, S.A., McCormack, J.M., McCarthy, K.M., Schneeberger, E.E. and Lynch, R.D. (2010) *Cholesterol efflux stimulates metalloproteinase-mediated cleavage of occludin and release of extracellular membrane particles containing its C-terminal fragments* Exp. Cell Res., **316**, 353-365
- Tauro, B.J.**, Mathias, R.A., Greening, D.W., Gopal, S.K., Ji, H., Kapp, E.A., Coleman, B.M., Hill, A.F. et al (2013) *Oncogenic H-Ras reprograms Madin-Darby Canine Kidney (MDCK) cell-derived exosomal proteins following epithelial-mesenchymal transition* Mol. Cell. Proteom., **12**: 2148–2159

Medulloblastoma cells

- Epple, L.M.**, Griffiths, S.G., Dechkovskaia, A.M., Dusto, N.L., White, J., Ouellette, R.J., Anchordoquy, T.J., Bemis, L.T. and Graner, M.W. (2012) *Medulloblastoma exosome proteomics yield functional roles for extracellular vesicles* PLoS One, **7**: e42064

Melanocytes and melanoma cells/tissue

- Boussadia, Z.**, Lamberti, J., Mattei, F., Pizzi, E., Puglisi, R., Zanetti, C., Pasquini, L., Fratini, F. et al (2018) *Acidic microenvironment plays a key role in human melanoma progression through a sustained exosome mediated transfer of clinically relevant metastatic molecules* J. Exp. Clin. Cancer Res. **37**: 245
- Cesi, G.**, Philippidou, D., Kozar, I., Kim, Y.J., Bernardin, F., Van Niel, G., Wienecke-Baldacchino, A., Felten, P., Letellier, E. et al (2018) *A new ALK isoform transported by extracellular vesicles confers drug resistance to melanoma cells* Mol. Cancer, **17**: 145
- Cheung, A.S.**, Koshy, S.T., Stafford, A.G., Bastings, M.M.C. and Mooney, D.J. (2016) *Adjuvant-loaded subcellular vesicles derived from disrupted cancer cells for cancer vaccination* Small, **12**, 2321–2333
- Coscia, C.**, Parolini, I., Sanchez, M., Biffoni, M., Boussadia, Z., Zanetti, C., Fiani, M.L. and Sargiacomo, M. (2016) *Generation, quantification, and tracing of metabolically labeled fluorescent exosomes* In Lentiviral Vectors and Exosomes as Gene and Protein Delivery Tools, Methods Mol. Biol., **1448** (ed. Federico, M.) Springer Science+Business Media New York 2016, pp 217-235
- García-Silva, S.**, Benito-Martin, A., Sánchez-Redondo, S., Hernández-Barranco, A., Ximénez-Embún, P., Nogúes, L., Mazariegos, M.S., Brinkmann, K. et al (2019) *Use of extracellular vesicles from lymphatic drainage as surrogate markers of melanoma progression and BRAFV600E mutation* J. Exp. Med., **216**, 1061–1070
- Ettelaie, C.**, Collier, M.E.W., Maraveyas, A. and Ettelaie, R. (2014) *Characterization of physical properties of tissue factor-containing microvesicles and a comparison of ultracentrifuge-based recovery procedures* J. Extracell. Vesicles **3**: 23592
- Jang, S.C.**, Crescitelli, R., Cvjetkovic, A., Belgrano, V., Bagge, R.O., Sundfeldt, K., Ochiya, T., Kalluri, R. and Lötval, J. (2019) *Mitochondrial protein enriched extracellular vesicles discovered in human melanoma tissues can be detected in patient plasma* J. Extracell. Ves., **8**: 1635420

Lee, E.-Y., Park, K.-S., Yoon, Y.J., Lee, J., Moon, H.-G., Jang, S.C., Choi, K.-H., Kim, Y.-K. and Gho, Y.S. (2012) *Therapeutic effects of autologous tumor-derived nanovesicles on melanoma growth and metastasis* PLoS One **7**: e33330

Stremersch, S., Marro, M., Pinchasik, B.-E., Baatsen, P., Hendrix, A., De Smedt, S.C., Loza-Alvarez, P., Skirtach, A.G., Raemdonck, K. and Braeckmans, K. (2016) *Identification of individual exosome-like vesicles by surface enhanced Raman spectroscopy* Small, **12**, 3292–3301

Van Niel, G., Bergam, P., Di Cicco, A., Hurbain, I., Lo Cicero, A., Dingli, F., Palmulli, R., Fort, C. et al (2015) *Apolipoprotein E regulates amyloid formation within endosomes of pigment cells* Cell Rep., **13**, 43–51

Mesenchymal stem cells – see “Stem cells”

Mesenchymal stromal cells

Park, K.-S., Svennerholm, K., Shelke, G.V., Bandeira, E., Lässer, C., Jang, S.C., Chandode, R., Gribonika I. and Lötval, J. (2019) *Mesenchymal stromal cell-derived nanovesicles ameliorate bacterial outer membrane vesicle-induced sepsis via IL-10* Stem Cell Res. Ther., **10**: 231

Reis, M., Willis, G.R., Fernandez-Gonzalez, A., Mansouri, N., Mitsialis, A. and Kourembanas, S. (2018) *Mesenchymal stromal cell extracellular vesicles modulate innate and adaptive immune cells at multi-organ level in a model of bronchopulmonary dysplasia* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # OT02.04

Metabolic syndrome

O’Neill, S., Bohl, M., Gregersen, S., Hermansen, K. and O’Driscoll, L. (2016) *Blood-based biomarkers for metabolic syndrome* Trends Endocrinol. Metab., **27**, 363-374

Metastatic cancer cells

Schillaci, O., Fontana, S., Monteleone, F., Taverna, S., Di Bella, M.A., Di Vizio, D. and Alessandro, R. (2017) *Exosomes from metastatic cancer cells transfer amoeboid phenotype to non-metastatic cells and increase endothelial permeability: their emerging role in tumor heterogeneity* Sci. Rep., **7**: 4711

Milk (bovine)

Abderrahim, B., Sophia, L., Ting, S.S., Laugier, J., Boilard, E., Caroline, G. and Provost, P. (2017) *Characterisation of extracellular vesicles with milk fat globule membrane-like properties that carry most microRNAs in commercial dairy cow milk* J. Extracell. Vesicles Abstr. OS21.02

Benmoussa, A., Lee, C.H.C., Laffont, B., Savard, P., Laugier, J., Boilard, E., Gilbert, C., Fliss, I. and Provost, P. (2016) *Commercial dairy cow milk microRNAs resist digestion under simulated gastrointestinal tract conditions* J. Nutr., **146**, 2206–2215

Benmoussa, A., Ly, S., Shan, S.T., Laugier, J., Boilard, E., Gilbert, C. and Provost, P. (2017) *A subset of extracellular vesicles carries the bulk of microRNAs in commercial dairy cow’s milk* J. Extracell. Vesicles, **6**: 1401897

Mathivanan, S. (2018) *Oral administration of bovine milk-derived extracellular vesicles reduce primary tumour burden but accelerate cancer metastases* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # OT05.03

Munagala, R., Aqil, F., Jeyabalan, J. and Gupta, R.C. (2016) *Bovine milk-derived exosomes for drug delivery* Cancer Lett., **371**, 48–61

Samuel, M., Chisanga, D., Liem, M., Keerthikumar, S., Anand, S., Ang, C.-S., Adda, C.G., Versteegen, E., Jois, M. and Mathivanan, S. (2017) *Bovine milk-derived exosomes from colostrum are enriched with proteins implicated in immune response and growth* Sci. Rep., **7**: 5933

Samuel, M., Jois, M. and Mathivanan, S. (2017) *Exosomes from bovine milk reduce the tumour burden and attenuates cancer cachexia* J. Extracell. Vesicles Abstr. OT9.02

Mitochondrial protein-enriched

Jang, S.C., Crescitelli, R., Cvjetkovic, A., Belgrano, V., Bagge, R.O., Sundfeldt, K., Ochiya, T., Kalluri, R. and Lötval, J. (2019) *Mitochondrial protein enriched extracellular vesicles discovered in human melanoma tissues can be detected in patient plasma* J. Extracell. Ves., **8**: 1635420

Monocytes/macrophages

Chen, F., Chen, J., Yang, L., Liu, J., Zhang, X., Zhang, Y., Tu, Q., Yin, D., Lin, D. et al (2019) *Extracellular vesicle-packaged HIF-1 α -stabilizing lncRNA from tumour-associated macrophages regulates aerobic glycolysis of breast cancer cells* Nat. Cell Biol., **21**, 498–510

- Choo, Y.W.**, Kang, M., Kim, H.Y., Han, J., Kang, S., Lee, J.-R., Jeong, G.-J., Kwon, S.P. et al (2018) *MI macrophage-derived nanovesicles potentiate the anticancer efficacy of immune checkpoint inhibitors* ACS Nano, **12**, 8977–8993
- Deshmane, S.**, Sheffield, J., Khalili, K. and Datta, P. (2015) *Characterization of extracellular vesicles (exosomes) from HIV-1 infected macrophages treated with HIV-1 protease inhibitor, Ritonavir* J. Neurovirol., **21** (Suppl. 1) S17
- Hui, W.W.**, Hercik, K., Belsare, S., Alugubelly, N., Clapp, B., Rinaldi, C. and Edelman, M.J. (2018) *Salmonella enterica serovar Typhimurium alters the extracellular proteome of macrophages and leads to the production of proinflammatory exosomes* Infect. Immun., **86**: e00386-17
- Hwang, D.W.**, Choi, H., Jang, S.C., Yoo, M.Y., Park, J.Y., Choi, N.E., Oh, H.J., Ha, S. et al (2015) *Noninvasive imaging of radiolabeled exosome-mimetic nanovesicle using ^{99m}Tc-HMPAO* Sci. Rep., **5**: 15636
- Nair, R.R.**, Mazza, D., Agresti, A. and Bianchi, M. (2017) *Histone flow: from nucleus to extracellular vesicles* J. Extracell. Vesicles Abstr. OS24.04
- Németh, A.**, Orgovan, N., Sódar, B.W., Osteikoetxea, X., Pálóczi, K., Szabó-Taylor, K.E., Vukman, K.V., Kittel, A. et al (2017) *Antibiotic-induced release of small extracellular vesicles (exosomes) with surface-associated DNA* Sci. Rep., **7**: 8202
- Osada-Oka, M.**, Shiota, M., Izumi, Y., Nishiyama, M., Tanaka, M., Yamaguchi, T., Sakurai, E., Miura, K. and Iwao, H. (2017) *Macrophage-derived exosomes induce inflammatory factors in endothelial cells under hypertensive conditions* Hypertens. Res., **40**, 353–360
- Ying, W.**, Riopel, M., Bandyopadhyay, G., Dong, Y., Birmingham, A., Seo, J.B., Ofrecio, J.M., Wollam, J. et al (2017) *Adipose tissue macrophage-derived exosomal miRNAs can modulate in vivo and in vitro insulin sensitivity* Cell, **171**, 372–384
- Zhang, Y.**, Liu, D., Chen, X., Li, J., Li, L., Bian, Z., Sun, F., Lu, J., Yin, Y., Cai, X., et al (2010) *Secreted monocytic miR-150 enhances targeted endothelial cell migration* Mol. Cell, **39**, 133–144

Mouse embryo fibroblasts

- Lunavat, T.R.**, Jang, S.C., Nilsson, L., Park, H.T., Repiska, G., Lässer, C., Nilsson, J.A., Gho, Y.S. and Lötvall, J. (2016) *RNAi delivery by exosome-mimetic nanovesicles - Implications for targeting c-Myc in cancer* Biomaterials, **10**, 231-238

Multiple myeloma serum

- Paolini, L.**, Zendrini, A., Di Noto, G., Busatto, S., Lottini, E., Radeghieri, A., Dossi, A., Caneschi, A., Ricotta, D. and Bergese, P. (2016) *Residual matrix from different separation techniques impacts exosome biological activity* Sci. Rep., **6**: 23550

Multiple sclerosis

- Ritz, S.**, Meira, M., Lagarde, N., Sievers, C., Derfuss, T. and Lindberg, R. (2018) *Exploring the role of extracellular vesicles (EVs) in immune response* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PF04.10

Muscle-derived

- Madison, R.D.** and Robinson, G.A. (2019) *Muscle-derived extracellular vesicles influence motor neuron regeneration accuracy* Neuroscience, **419**, 46–59

Myeloma cells

- Bandari, S.K.**, Purushothaman, A., Ramani, V.C., Brinkley, G.J., Chandrashekar, D.S., Varambally, S., Mobley, J.A. et al (2018) *Chemotherapy induces secretion of exosomes loaded with heparanase that degrades extracellular matrix and impacts tumor and host cell behavior* Matrix Biol., **65**, 104-118
- Faict, S.**, Muller, J., De Veirman, K., De Bruyne, E., Maes, K., Vrancken, L., Heusschen, R., De Raeve, H., Schots, R. et al (2018) *Exosomes play a role in multiple myeloma bone disease and tumor development by targeting osteoclasts and osteoblasts* Blood Cancer J., **8**: 105
- Purushothaman, A.**, Bandari, S.K., Liu, J., Mobley, J.A., Brown, E.E. and Sanderson, R.D. (2016) *Fibronectin on the surface of myeloma cell-derived exosomes mediates exosome-cell interactions* J. Biol. Chem., **291**, 1652–1663
- Thompson, C.A.**, Purushothaman, A., Ramani, V.C., Vlodavsky, I. and Sanderson, R.D. (2013) *Heparanase regulates secretion, composition, and function of tumor cell-derived exosomes* J. Biol. Chem., **288**, 10093–10099

Nasal mucosa

Nocera, A., Mueller, S.K., Stephan, J.R., Hing, L., Seifert, P., Han, X., Lin, D.T., Amiji, M.M. et al (2019) *Exosome swarms eliminate airway pathogens and provide passive epithelial immunoprotection through nitric oxide* J. Allergy Clin. Immunol., **143** 1525-35

Necroptosis

Zargarian, S., Shlomovitz, I., Erlich, Z., Hourizadeh, A., Ofir-Birin, Y., Croker, B., Regev-Rudzki, N., Edry-Botzer, L. and Gerlic, M. (2017) *Phosphatidylserine externalization, "necroptotic bodies" release, and phagocytosis during necroptosis* PLoS Biol. **15**: e2002711

NK cells

Jong, A.Y., Wu, C-H., Li, J., Sun, J., Fabbri, M., Wayne, A.S. and Seeger, R.C. (2017) *Large-scale isolation and cytotoxicity of extracellular vesicles derived from activated human natural killer cells* J. Extracell. Vesicles, **6**: 1294368

Neural cell derived (see also Brain tissue/tumour)

Dagur, R.S., Liao, K., Sil, S., Niu, F., Sun, Z., Lyubchenko, Y.L., Peeples, E.S., Hu, G. and Buch, S. (2019) *Neuronal-derived extracellular vesicles are enriched in the brain and serum of HIV-1 transgenic rats* J. Extracell. Vesicles, **9**: 1703249

De Rivero Vaccari, J.P., Brand III, F., Adamczak, S., Lee, S.W., Perez-Barcena, J., Wang, M.Y., Bullock, M.R., Dietrich, W.D. and Keane, R.W. (2016) *Exosome-mediated inflammasome signaling after central nervous system injury* J. Neurochem., **136** (Suppl. 1), 39-48

Hwang, D.W., Choi, H., Jang, S.C., Yoo, M.Y., Park, J.Y., Choi, N.E., Oh, H.J., Ha, S. et al (2015) *Noninvasive imaging of radiolabeled exosome-mimetic nanovesicle using ^{99m}Tc-HMPAO* Sci. Rep., **5**: 15636

Jang, A., Lee, H-J., Suk, J-E., Jung, J-W., Kim, K-P. and Lee, S-J. (2010) *Non-classical exocytosis of α -synuclein is sensitive to folding states and promoted under stress conditions* J. Neurochem., **113**, 1263–1274

Kanninen, K.M., Bister, N., Koistinaho, J. and Malm, T. (2016) *Exosomes as new diagnostic tools in CNS diseases* Biochim. Biophys. Acta, **1862**, 403–410

Miranda, A.M., Lasiecka, Z.M., Xu, Y., Neufeld, J., Shahriar, S., Simoes, S., Chan, R.B., Oliveira, T.G., Small, S.A. and Di Paolo, G. (2018) *Neuronal lysosomal dysfunction releases exosomes harboring APP C-terminal fragments and unique lipid signature* Nat. Comm., **9**: 291

Quek, C., Jung, C-h., Bellingham, S.A., Lonie, A. and Hill, A.F. (2015) *ISRAP - a one-touch research tool for rapid profiling of small RNA-seq data* J. Extracell. Vesicles **4**: 29454

Sampey, G.C., Meyering, S.S., Zadeh, M.A., Saifuddin, M., Hakami, R.M. and Kashanchi, F. (2014) *Exosomes and their role in CNS viral infections* J. Neurovirol., **20**, 199–208

Silverman, J.M., Christy, D., Shyu, C.C., Moon, K-M., Fernando, S., Gidden, Z., Cowan, C.M., Ban, Y. et al (2019) *CNS-derived extracellular vesicles from superoxide dismutase 1 (SOD1)^{G93A} ALS mice originate from astrocytes and neurons and carry misfolded SOD1* J. Biol. Chem., **294**, 3744–3759

Zhang, S., Eitan, E., Wu, T-Y. and Mattson, M. P. (2018) *Intercellular transfer of pathogenic α -synuclein by extracellular vesicles is induced by the lipid peroxidation product 4-hydroxynonenal* Neurobiol. Aging, **61**, 52-65

Zhou, W., Woodson, M., Sherman, M.B., Neelakanta, G. and Sultana, H. (2019) *Exosomes mediate Zika virus transmission through SMPD3 neutral sphingomyelinase in cortical neurons* Emerg. Microbes Infect., **8**, 307-326

Neuroblastoma cells

Fonseka, P., Liem, M., Ozcitti, C., Adda, C.G., Ang, C-S. and Mathivanan, S. (2019) *Exosomes from N-Myc amplified neuroblastoma cells induce migration and confer chemoresistance to non-N-Myc amplified cells: implications of intratumour heterogeneity* J. Extracell. Ves., **8**: 1597614

Nakata, R., Shimada, H., Fernandez, G.E., Fanter, R., Fabbri, M., Malvar, J. Zimmermann, P. and DeClerck, Y.A. (2017) *Contribution of neuroblastoma-derived exosomes to the production of pro-tumorigenic signals by bone marrow mesenchymal stromal cells* J. Extracell. Ves., **6**: 1332941

Nakata, R., Sarte, L., Zimmermann, P. and DeClerck, Y.A. (2017) *Galectin-3 binding protein present at the surface of tumour exosomes contributes to their capture by stromal cells* J. Extracell. Vesicles Abstr. PF04.13

Sarte, L., Nakata, R., Shimada, H., Fernandez, E., DeClerck, Y.A. (2018) *Tumour-derived exosomes contribute to a pro-tumorigenic inflammatory microenvironment in cancer* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PT04.05

Zhou, W., Woodson, M., Neupane, B., Bai, F., Sherman, M.B., Choi, K.H., Neelakanta, G., and Sultana, H. (2018) *Exosomes serve as novel modes of tick-borne flavivirus transmission from arthropod to human cells and facilitates dissemination of viral RNA and proteins to the vertebrate neuronal cells* PLoS Pathog., **14**: e1006764

Neurodegenerative disorders

You, Y. and Ikezu, T. (2019) *Emerging roles of extracellular vesicles in neurodegenerative disorders* Neurobiol. Disease, **130**: 104512

Neutrophils

Majumdar, R., Tavakoli Tameh, A. and Parent, C.A. (2016) *Exosomes mediate *LTB4* release during neutrophil chemotaxis* PLoS Biol., **14**: e1002336

Oncosomes – see Prostate carcinoma cells

Osteoblasts/osteoclasts – see Myeloma cells

Osteosarcoma

Henriksson, E., Luoto, J. and Sistonen, L. (2018) *Heat-shock factor 2 associates with cancer-derived extracellular vesicles* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PT07.14

Ovarian cancer cells/detection

Sharma, S., Alharbi, M., Kobayashi, M., Lai, A., Guanzone, D., Zuniga, P., Ormazabal, V., Palma, C. et al (2018) *Proteomic analysis of exosomes reveals an association between cell invasiveness and exosomal bioactivity on endothelial and mesenchymal cell migration in vitro* Clin. Sci., **132**, 2029–2044

Sharma, S. and C. Salomon (2020) *Techniques associated with exosome isolation for biomarker development: liquid biopsies for ovarian cancer detection* In Biomarkers for Immunotherapy of Cancer: Methods and Protocols, Methods in Mol. Biol., **2055** (eds. Thurin, M. et al) Springer Science+Business Media, LLC, pp 181-199

Pancreatic β -cells

Bosch, S., de Beaurepaire, L., Allard, M., Mosser, M., Heichette, C., Chrétien, D., Jegou, D. and Bach, J-M. (2016) *Trehalose prevents aggregation of exosomes and cryodamage* Sci. Rep., **6**: 36162

Pancreatic carcinoma cells

Capello, M., Vykoukal, J.V., Katayama, H., Bantis, L.E., Wang, H., Kundnani, D.L., Aguilar-Bonavides, C., Aguilar, M., Tripathi, S.C. et al (2019) *Exosomes harbor *B cell* targets in pancreatic adenocarcinoma and exert decoy function against complement-mediated cytotoxicity* Nat. Comm., **10**: 254

Ciardiello, C., Leone, A., Roca, M.S., Moccia, T., Minopoli, M., Vitagliano, C., Pucci, B., Costantini, S. et al (2018) *Paracrine mechanisms induced by large oncosomes spontaneously shed by aggressive cells to promote adhesion and invasion of prostate cancer via *av integrin*-dependent activation of *FAK-AKT* pathway* J. Extracell. Ves., **7**, Suppl. 1, Abstr. #OF11.05

Ettelaie, C., Collier, M.E.W., Maraveyas, A. and Ettelaie, R. (2014) *Characterization of physical properties of tissue factor-containing microvesicles and a comparison of ultracentrifuge-based recovery procedures* J. Extracell. Vesicles **3**: 23592

Kamerkar, S., LeBleu, V.S., Sugimoto, H., Yang, S., Ruivo, C.F., Melo, S.A., Lee, J.J. and Kalluri, R. (2017) *Exosomes facilitate therapeutic targeting of oncogenic *KRAS* in pancreatic cancer* Nature **546**, 498-503

Klein-Scory, S., Tehrani, M.M., Eilert-Micus, C., Adamczyk, K.A., Wojtalewicz, N. Schnölzer, M., Hahn, S.A., Schmiegel, W. and Schwarte-Waldhoff, I. (2014) *New insights in the composition of extracellular vesicles from pancreatic cancer cells: implications for biomarkers and functions* Proteome Sci., **12**: 50

Matsumura, S., Minamisawa, T., Suga, K., Kishita, H., Akagi, T., Ichiki, T., Ichikawa, Y. and Shiba, K. (2019) *Subtypes of tumour cell-derived small extracellular vesicles having differently externalized phosphatidyl-serine* J. Extracell. Ves., **8**: 1579541

Mertens, I., Castiglia, M., Carreca, A.P., Baggertman, G., Peeters, M., Pauwels, P. and Rolfo, C. (2014) *Exosome analysis in cancer patients: From the preclinical towards the clinical application: Trial design* Eur. J. Cancer, **50**, Suppl. 6, 96

Németh, A., Orgovan, N., Sódar, B.W., Osteikoetxea, X., Pálóczi, K., Szabó-Taylor, K.E., Vukman, K.V., Kittel, A. et al (2017) *Antibiotic-induced release of small extracellular vesicles (exosomes) with surface-associated DNA* Sci. Rep., **7**: 8202

Papillomavirus

Petrik, J. (2016) *Immunomodulatory effects of exosomes produced by virus-infected cells* Transfus. Apher. Sci., **55**, 84–91

Parkinson's disease

Izco, M., Blesa, J., Schleeff, M., Schmeer, M., Porcari, R., Al-Shawi, R., Ellmerich, S., de Toro, M., Gardiner, C., Seow, Y. et al (2019) *Systemic exosomal delivery of shRNA minicircles prevents Parkinsonian pathology* Mol. Ther., **27**, 2111–2122

Samal, J. Demir, S. and Pandit, A. (2018) *Exosomes: Cellular capsules for drug delivery in Parkinson's disease* In Drug Delivery Nanosystems for Biomedical Applications, Elsevier Inc., pp 91–151

Wang, B., Underwood, R., Kamath, A., Britain, c., McFerrin, M.B., McLean, P.J., Volpicelli-Daley, L.A., Whitaker, R.H. et al *14-3-3 Proteins reduce cell-to-cell transfer and propagation of pathogenic α -synuclein* J. Neurosci., **38**, 8211–8232

Zheng, J., Chen, L., Skinner, O.S., Ysselstein, D., Remis, J., Lansbury, P., Skerlj, R., Mrosek, M., Heunisch, U. et al (2018) *β -Glucocerebrosidase modulators promote dimerization of β -glucocerebrosidase and reveal an allosteric binding site* J. Am. Chem. Soc., **140**, 5914–5924

Penile dysfunction

Kwon, M-H., Song, K-M., Limanjaya, A., Choi, M-J., Ghatak, K., Nguyen, N-M., Ock, J., Yin, G.N. et al (2019) *Embryonic stem cell-derived extracellular vesicle-mimetic nanovesicles rescue erectile function by enhancing penile neurovascular regeneration in the streptozotocin-induced diabetic mouse* Sci. Rep., **9**: 20072

Pheochromocytoma cells

Caswell, P.T. and Dickens, M. (2018) *JIP3 localises to exocytic vesicles and focal adhesions in the growth cones of differentiated PC12 cells* Mol. Cell. Biochem., **444**, 1–13

Henriksson, E., Luoto, J. and Sistonen, L. (2018) *Heat-shock factor 2 associates with cancer-derived extracellular vesicles* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PT07.14

Picornavirus infection

van der Grein, S.G., Defourny, K.A.Y., Rabouw, H.H., Galiveti, C.R., Langereis, M.A., Wauben, M.H.M., Arkesteijn, G.J.A., van Kuppeveld, F.J.M. and Nolte-'t Hoen, E.N.M. (2019) *Picornavirus infection induces temporal release of multiple extracellular vesicle subsets that differ in molecular composition and infectious potential* PLoS Pathog. **15**: e1007594

Placenta-derived

Bayer, A., Lennemann, N.J., Ouyang, Y., Sadovsky, E., Sheridan, M.A., Roberts, R.M., Coyne, C.B. and Sadovsky, Y. (2018) *Chromosome 19 microRNAs exert antiviral activity independent from type III interferon signalling* Placenta, **61**, 33–38

Ijjas, J.D., Guanzon, D., Elfeky, O., Rice, G.E. and Salomon, C. (2017) *Bio-compartmentalization of microRNAs in exosomes during gestational diabetes mellitus* Placenta, **54**, 76–82

Miranda, J., Paules, C., Nair, S., Lai, A., Palma, C., Scholz-Romero, K., Rice, G.E., Gratacos, E., Crispi, F. and Salomon, C. (2018) *Placental exosomes profile in maternal and fetal circulation in intrauterine growth restriction - Liquid biopsies to monitoring fetal growth* Placenta, **64**, 34–43

Nair, S., Jayabalan, N., Guanzon, D., Palma, C., Scholz-Romero, K., Elfeky, O., Zuñiga, F., Ormazabal, V. et al (2018) *Human placental exosomes in gestational diabetes mellitus carry a specific set of miRNAs associated with skeletal muscle insulin sensitivity* Clin. Sci., **132**, 2451–2467

Salomon, C., Scholz-Romero, K., Sarker, S., Sweeney, E., Kobayashi, M., Correa, P., Longo, S., Duncombe, G., Mitchell, M.D., Rice, G.E. and Illanes, S.E. (2016) *Gestational diabetes mellitus is associated with changes in the concentration and bioactivity of placenta-derived exosomes in maternal circulation across gestation* Diabetes, **65**, 598–609

Plasma

Bovine

Crookenden, M.A., Dukkupati, V.S.R., Kay, J.K., Meier, S., Roche, J.R. and Mitchell, M.D. (2016) *Proteins from circulating exosomes represent metabolic state in transition dairy cows* J. Dairy Sci., **99**, 7661–7668

Mitchell, M.D., Scholz-Romero, K., Reed, S., Peiris, H.N., Koh, Y.Q., Meier, S., Walker, C.G., Burke, C.R., Roche, J.R., Rice, G. and Salomon, C. (2016) *Plasma exosome profiles from dairy cows with divergent fertility phenotypes* J. Dairy Sci. **99**, 7590–7601

Human

- Bæk, R.**, Søndergaard, E.K.L., Varming, K. and Jørgensen, M.M. (2016) *The impact of various preanalytical treatments on the phenotype of small extracellular vesicles in blood analyzed by protein microarray* J. Immunol. Meth., **438**, 11–20
- Buschmann, D.**, Kirchner, B., Hermann, S., Märte, M., Wurmser, C., Brandes, F., Kotschote, S., Bonin, M. et al (2018) *Evaluation of serum extracellular vesicle isolation methods for profiling miRNAs by next-generation sequencing* J. Extracell. Ves., **7**: 1481321
- Cavallari, C.**, Ranghino, A., Tapparo, M., Cedrino, M., Figliolini, F., Grange, C., Giannachi, V., Garneri, P. et al (2017) *Serum-derived extracellular vesicles (EVs) impact on vascular remodeling and prevent muscle damage in acute hind limb ischemia* Sci. Rep., **7**: 8180
- Elfeky, O.**, Longo, S., Lai, A., Rice, G.E. and Salomon, C. (2017) *Influence of maternal BMI on the exosomal profile during gestation and their role on maternal systemic inflammation* Placenta, **50**, 60-69
- Fernando, M.R.**, Jiang, C., Krzyzanowski, G.D. and Ryan, W.L. (2017) *New evidence that a large proportion of human blood plasma cell-free DNA is localized in exosomes* PLoS One, **12**: e0183915
- Guescini, M.**, Canonico, B., Lucertini, F., Maggio, S., Annibalini, G., Barbieri, E., Luchetti, F., Papa, S. and Stocchi, V. (2015) *Muscle releases alpha-sarcoglycan positive extracellular vesicles carrying miRNAs in the bloodstream* PLoS One, **10**: e0125094
- Kalra, H.**, Adda, C.G., Liem, M., Ang, C-S., Mechler, A., Simpson, R.J., Hulett, M.D. and Mathivanan, S. (2013) *Comparative proteomics evaluation of plasma exosome isolation techniques and assessment of the stability of exosomes in normal human blood plasma* Proteomics, **13**, 3354–3364
- Konadu, K.A.**, Chu, J., Huang, M.B., Amancha, P.K., Armstrong, W., Powell, M.D., Villinger, F. and Bond, V.C. (2015) *Association of cytokines with exosomes in the plasma of HIV-1-seropositive individuals* J. Infect. Dis., **211**, 1712–1716
- Lin, L-Y.**, Yang, L., Zeng, Q., Wang, L., Chen, M-L., Zhao, Z-H., Ye, G-D., Luo, Q-C. et al (2018) *Tumor-originated exosomal lncUEGCI as a circulating biomarker for early-stage gastric cancer* Mol. Cancer, **17**: 84
- Lobb, R.J.**, Becker, M., Wen, S.W., Wong, C.S.F., Wiegman, A.P., Leimgruber, A. and Andreas Möller C. (2015) *Optimized exosome isolation protocol for cell culture supernatant and human plasma* J. Extracell. Vesicles **4**: 27031
- Meningher, T.**, Lerman, G., Regev-Rudzki, N., Gold, D., Ben-Dov, I.Z., Sidi, Y., Avni, D. and Schwartz, E. (2017) *Schistosomal microRNAs isolated from extracellular vesicles in sera of infected patients: a new tool for diagnosis and follow-up of human schistosomiasis* J. Infect. Dis., **215**, 378–86
- Minciacci, V.R.**, Spinelli, C., Reis-Sobreiro, M., Cavallini, L., You, S., Zandian, M., Li, X., Mishra, R., Chiarugi, P., Adam, R.M. et al (2017) *MYC mediates large oncosome-induced fibroblast reprogramming in prostate cancer* Cancer Res., **77**, 2306-2317
- Morgan, R.L.**, Behbahani-Nejad, N., Endres, J., Amin, M.A., Lepore, N.J., Du, Y., Urquhart, A., Chung, K.C. and Fox, D.A. (2016) *Localization, shedding, regulation and function of aminopeptidase N/CD13 on fibroblast like synoviocytes* PloS One, **11**: e0162008
- Murillo, O D.**, Thistlethwaite, W., Rozowsky, J., Subramanian, S.L., Lucero, R., Shah, N., Jackson, A.R., Srinivasan, S., Chung, A., Laurent, C.D. et al (2019) *exRNA atlas analysis reveals distinct extracellular RNA cargo types and their carriers present across human biofluids* Cell, **177**, 463–477
- Notarangelo, M.**, Zucal, C., Modelska, A., Pesce, I., Scarduelli, G., Potrich, C., Lunelli, L., Pederzoli, C., Pavan, P., la Marca, G. et al (2019) *Ultrasensitive detection of cancer biomarkers by nickel-based isolation of polydisperse extracellular vesicles from blood* EBioMedic., **43**, 114–126
- Ouyang, Y.**, Bayer, A., Chu, T., Tyurin, V., Kagan, V., Morelli, A.E., Coyne, C.B. and Sadovsky, Y. (2016) *Isolation of human trophoblastic extracellular vesicles and characterization of their cargo and antiviral activity* Placenta, **47**, 86-95
- Prieto, D.**, Sotelo, N., Seija, N., Sernbo, S., Abreu, C., Durán, R., Gil, M., Sicco, E. et al (2017) *SI100-A9 protein in exosomes from chronic lymphocytic leukemia cells promotes NF-κB activity during disease progression* Blood, **130**, 777-788
- Salomon, C.**, Scholz-Romero, K., Sarker, S., Sweeney, E., Kobayashi, M., Correa, P., Longo, S. Duncombe, G., Mitchell, M.D., Rice, G.E. and Illanes, S.E. (2016) *Gestational diabetes mellitus is associated with changes in the concentration and bioactivity of placenta-derived exosomes in maternal circulation across gestation* Diabetes, **65**, 598–609
- Salomon, C.**, Guanzone, D., Scholz-Romero, K., Longo, S., Correa, P., Illanes, S.E. and Rice, G.E. (2017) *Placental exosomes as early biomarker of preeclampsia: potential role of exosomal microRNAs across gestation* J. Clin. Endocrinol. Metab., **102**, 3182–3194
- Shi, M.**, Liu, C., Cook, T.J., Bullock, K.M. et al (2014) *Plasma exosomal α-synuclein is likely CNS-derived and increased in Parkinson's disease* Acta Neuropathol., **128**, 639–650

Sódar, B.W., Kittel, A., Pálóczi, K., Vukman, K.V., Osteikoetxea, X., Szabó-Taylor, K., Németh, A., Sperlágh, B., Baranyai, T. et al (2016) *Low-density lipoprotein mimics blood plasma-derived exosomes and microvesicles during isolation and detection* Sci. Rep., **6**: 24316

Thind, A. and Wilson, C. (2016) *Exosomal miRNAs as cancer biomarkers and therapeutic targets* J. Extracell. Vesicles, **5**: 31292

Wua, M., Ouyang, Y., Wang, Z., Zhang, R., Huang, P-H., Chen, C., Li, H., Li, P., Quinn, D. et al (2017) *Isolation of exosomes from whole blood by integrating acoustics and microfluidics* Proc. Natl. Acad. Sci. USA, **114**, 10584–10589

Zhang, W., Zhou, X., Zhang, H., Yao, Q., Liu, Y., Dong, Z. (2016) *Extracellular vesicles in diagnosis and therapy of kidney diseases* Am. J. Physiol. Renal Physiol., **311**, F844–F851

Mouse

Phoonsawat, W., Aoki-Yoshida, A., Tsuruta, T. and Sonoyama, K. (2014) *Adiponectin is partially associated with exosomes in mouse serum* Biochem. Biophys. Res. Comm., **448**, 261–266

Shi, M., Liu, C., Cook, T.J., Bullock, K.M. et al (2014) *Plasma exosomal α -synuclein is likely CNS-derived and increased in Parkinson's disease* Acta Neuropathol., **128**, 639–650

Plasma membrane fragments (sheared)

Yoon, J., Jo, W., Jeong, D., Kim, J., Jeong, H. and Park, J. (2015) *Generation of nanovesicles with sliced cellular membrane fragments for exogenous material delivery* Biomaterials, **59**, 12-20

Platelets

Duchez, A-C., Boudreau, L.H., Bollinger, J., Belleannée, C., Cloutier, N., Laffont, B., Mendoza-Villarroel, R.E., Lévesque, T. Rollet-Labelle, E. et al (2015) *Platelet microparticles are internalized in neutrophils via the concerted activity of 12-lipoxygenase and secreted phospholipase A2-IIA* Proc. Natl. Acad. Sci. USA, **112**, E3564–E3573

Pienimaeki-Roemer, A., Kuhlmann, K., Böttcher, A., Konovalova, T., Black, A., Orsó, E. Liebisch, G. et al (2015) *Lipidomic and proteomic characterization of platelet extracellular vesicle subfractions from senescent platelets* Transfusion, **55**, 507–521

Sódar, B.W., Kittel, A., Pálóczi, K., Vukman, K.V., Osteikoetxea, X., Szabó-Taylor, K., Németh, A., Sperlágh, B., Baranyai, T. et al (2016) *Low-density lipoprotein mimics blood plasma-derived exosomes and microvesicles during isolation and detection* Sci. Rep., **6**: 24316

Polyoma virus

Morris-Love, J., Gee, G.V., O'Hara, B.A., Assetta, B., Atkinson, A.L., Dugan, A.S., Haley, S.A. and Atwood, W.J. (2019) *JC polyomavirus uses extracellular vesicles to infect target cells* **10**: e00379-19

Preeclampsia

Pillay, P., Moodley, K., Vatish, M., Moodley, J., Duarte, R. and Mackraj, I. (2020) *Exosomal Th1/Th2 cytokines in preeclampsia and HIV-positive preeclamptic women on highly active anti-retroviral therapy* Cytokine **125** (2020) 154795

Sharma, S., Scholz-Romero, K., Rice, G.E. and Salomon, C. (2018) *Methods to enrich exosomes from conditioned media and biological fluids* In Preeclampsia: Methods and Protocols, Methods in Mol. Biol., **1710**, (ed. Murthi, P. and Vaillancourt, C.) Springer Science+Business Media, New York, pp 103-115

Prions/prion diseases

Hartmann, A., Altmepfen, H., Krasemann, S. and Glatzel, M. (2017) *Exosomes in prion diseases* In Prion Diseases, Neuromethods, **129**, (ed. Liberski, P.P.), © Springer Science+Business Media LLC, pp 197-207

Liu, S., Hossinger, A., Göbbels, S. and Vorberg, I.M. (2017) *Prions on the run: How extracellular vesicles serve as delivery vehicles for self-templating protein aggregates* Prion, **11**, 98–112

Prostate carcinoma

Ciardello, C., Leone, A., Roca, M.S., Moccia, T., Minopoli, M., Vitagliano, C., Pucci, B., Costantini, S. et al (2018) *Paracrine mechanisms induced by large oncosomes spontaneously shed by aggressive cells to promote adhesion and invasion of prostate cancer via an integrin-dependent activation of FAK-AKT pathway* J. Extracell. Ves., **7**, Suppl. 1, Abstr. #OF11.05

Ciardello, C., Leone, A., Lanuti, P., Roca, M.S., Moccia, T., Minciacci, V.R., Minopoli, M., Gigantino, V., Cecio, R. et al (2019) *Large oncosomes overexpressing integrin α -V promote prostate cancer adhesion and invasion via AKT activation* J. Exp. Clin. Oncol., **38**: 317

- DeRita, R.M.**, Sayeed, A., Garcia, V., Krishn, S.R., Shields, C.D., Sarker, S., Friedman, A., McCue, P., Molugu, S.K. et al (2019) *Tumor-derived extracellular vesicles require $\beta 1$ integrins to promote anchorage-independent growth* iScience **14**, 199–209
- Hessvik, N.P.**, Øverbye, A., Brech, A., Torgersen, M.L., Jakobsen, I.S., Sandvig, K. and Llorente, A. (2016) *PIKfyve inhibition increases exosome release and induces secretory autophagy* Cell. Mol. Life Sci. **73**, 4717–4737
- Joncas, F.-H.**, Lucien, F., Rouleau, M., Morin, F., Leong, H.S., Pouliot, F., Fradet, Y., Gilbert, C. and Toren, P. (2019) *Plasma extracellular vesicles as phenotypic biomarkers in prostate cancer patients* The Prostate, **79**, 767–1776
- Kawakami, K.**, Fujita, Y., Matsuda, Y., Arai, T., Horie, K., Kameyama, K., Kato, T., Masunaga, K. et al (2017) *Gamma-glutamyltransferase activity in exosomes as a potential marker for prostate cancer* BMC Cancer, **17**: 316
- Krishn, S.R.**, Singh, A., Bowler, N., Duffy, A.N., Friedman, A., Fedele, C., Kurtoglu, S., Tripathi, S.K. Wang, K. et al (2019) *Prostate cancer sheds the $\alpha v \beta 3$ integrin in vivo through exosomes* Matrix Biol **77**, 41-57
- Mariscal, J.**, Zhou, B., De Hoff, P., Pink, D., Vagner, T., Zandian, M., Lewis, J.D., Laurent, L.C., Yang, W., Zijlstra, A. and Di Vizio, D. (2018) *A novel strategy to liquid biopsy for early diagnosis of lethal prostate cancer employing palmitoyl-proteomics of extracellular vesicles* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # OT04.02
- Minciacci, V.R.**, You, S., Spinelli, C., Morley, S., Zandian, M., Aspuria, P.-J., Cavallini, L., Ciardiello, C., Sobreiro, M.R. et al (2015) *Large oncosomes contain distinct protein cargo and represent a separate functional class of tumor-derived extracellular vesicles* Oncotarget, **6**, 11327-11341
- Minciacci, V.**, Spinelli, C., Reis-Sobreiro, M., Zandian, M., Adam, R.M., Posadas, E.M., Michael, F.R., Cocucci, E., Bhowmick, N. and Di Vizio, D. (2016) *Large oncosomes reprogram prostate fibroblasts toward a pro-angiogenic phenotype* Cancer Res., **76**, Suppl. 14, Abstr. LB-266
- Minciacci, V.R.**, Spinelli, C., Reis-Sobreiro, M., Cavallini, L., You, S., Zandian, M., Li, X., Mishra, R., Chiarugi, P., Adam, R.M. et al (2017) *MYC mediates large oncosome-induced fibroblast reprogramming in prostate cancer* Cancer Res., **77**, 2306-2317
- Notarangelo, M.**, Zucal, C., Modelska, A., Pesce, I., Scarduelli, G., Potrich, C., Lunelli, L., Pederzoli, C., Pavan, P., la Marca, G. et al (2019) *Ultrasensitive detection of cancer biomarkers by nickel-based isolation of polydisperse extracellular vesicles from blood* EBioMedic., **43**, 114–126
- Saaria, H.**, Lisitsyna, E., Rautaniemi, K., Rojalín, T., Niemi, L., Nivaro, O., Laaksonen, T., Yliperttula, A. and Vuorimaa-Laukkanen, E. (2018) *FLIM reveals alternative EV-mediated cellular up-take pathways of Paclitaxel* J. Control. Release, **284**, 133–143
- Vagner, T.**, Spinelli, C., Minciacci, V.R., Balaj, L., Zandian, M., Conley, A., Zijlstra, A., Freeman, M.R., Demichelis, F. et al (2018) *Large extracellular vesicles carry most of the tumour DNA circulating in prostate cancer patient plasma* J. Extracell. Vesicles **7**: 505403

Protein composition/engineering

- Go, G.**, Choi, D.-S., Kim, D.-K., Lee, J. and Gho, Y.S. (2019) *Quantitative proteomic analysis of trypsin-treated extracellular vesicles to evaluate the real-vesicular proteins* J. Extracell. Ves., **8** (Suppl.1) PF12.03
- Lázaro-Ibáñez, E.**, Gunnarsson, A., O’Driscoll, G., Shatnyeva, O., Osteikoetxea, X. and Dekker, N. (2019) *Engineering of extracellular vesicles for surface display of targeting ligands* J. Extracell. Ves., **8** (Suppl.1) OS23.03
- Osteikoetxea, X.**, Stein, J., Lázaro-Ibáñez, E., O’Driscoll, G., Shatnyeva, O., Davies, R. and Dekker, N. (2019) *Protein engineering for loading of extracellular vesicles* J. Extracell. Ves., **8** (Suppl.1) OT06.06

Rabies-infected cells

- Wang, J.**, Wu, F., Liu, C., Dai, W., Teng, Y., Su, W., Kong, W., Gao, F. et al (2019) *Exosomes released from rabies virus-infected cells may be involved in the infection process* Virologica Sinica, **34**, 59–65

Rat-1 cells

- Hurwitz, S.N.**, Nkosi, D., Conlon, M.M., York, S.B., Liu, X., Tremblay, D.C. and Meckes, D.G. (2017) *CD63 regulates Epstein-Barr virus LMP1 exosomal packaging, enhancement of vesicle production, and noncanonical NF- κ B signaling* J. Virol., **91**: e02251-16

Recombinant vesicles

Geeurickx, E., Tulkens, J., Dhondt, B., Van Deun, J., Lippens, L., Vergauwen, G., Heyrman, E., De Sutter, D., Gevaert, K. et al (2019) *The generation and use of recombinant extracellular vesicles as biological reference material* Nat. Comm., **10**: 3288

Renal carcinoma

Horie, K., Kawakami, K., Fujita, Y., Sugaya, M., Kameyama, K., Mizutani, K., Deguchi, T., and Ito, M. (2017) *Exosomes expressing carbonic anhydrase 9 promote angiogenesis* Biochem. Biophys. Res. Comm., **492**, 356-361

Renal diseases

Zhou, Y. and Yang, J. (2019) *Extracellular RNA in renal diseases* ExRNA **1**: 5

Renal tubule cell targeting

Collino, F., Pomatto, M., Bruno, S., Lindoso, R.S., Tapparo, M., Sicheng, W., Quesenberry, P. and Camussi, G. (2017) *Exosome and microvesicle-enriched fractions isolated from mesenchymal stem cells by gradient separation showed different molecular signatures and functions on renal tubular epithelial cells* Stem Cell Rev. Rep., **13**, 226–243

Reproductive medicine

Nair, S. and Salomon, C. (2020) *Potential role of exosomes in reproductive medicine and pregnancy* in Exosomes, <https://doi.org/10.1016/B978-0-12-816053-4.00002-X> © Elsevier Inc Chapter 16, pp 357-381

Simon, C., Greening, D.W., Bolumar, D., Balaguer, N., Salamonsen, L.A. and Vilella, F. (2018) *Extracellular vesicles in human reproduction in health and disease* Endocrine Rev., **39**: 292-332

Retinal pigmented epithelial cells

Klingeborn, M., Dismuke, W.M., Skiba, N.P., Kelly, U., Stamer, W.D. and Rickman, C.B. (2017) *Directional exosome proteomes reflect polarity-specific functions in retinal pigmented epithelium monolayers* Sci. Rep., **7**: 4901

RNAs incl. RNAi, (micro)RNA, (small)RNA, siRNA

Bakr, S., Simonson, B., Danielson, K.M. and Das, S. (2018) *Extracellular RNA isolation from cell culture supernatant* In Extracellular RNA: Methods and Protocols, Methods in Mol. Biol., 1740 (ed. Patel, T.) Springer Science+Business Media, New York, pp 23-34

Bayer, A., Lennemann, N.J., Ouyang, Y., Sadovsky, E., Sheridan, M.A., Roberts, R.M., Coyne, C.B. and Sadovsky, Y. (2018) *Chromosome 19 microRNAs exert antiviral activity independent from type III interferon signalling* Placenta, **61**, 33-38

Buschmann, D., Kirchner, B., Hermann, S., Märte, M., Wurmser, C., Brandes, F., Kotschote, S., Bonin, M. et al (2018) *Evaluation of serum extracellular vesicle isolation methods for profiling miRNAs by next-generation sequencing* J. Extracell. Ves., **7**: 1481321

Bellingham, S.A., Shambrook, M. and Hill, A.F. (2017) *Quantitative analysis of exosomal miRNA via qPCR and digital PCR* In Exosomes and Microvesicles Methods and Protocols: Methods Mol. Biol., **1545** (ed. Hill, A.F.), Springer Science+Business Media, LLC, pp 55-70

Benmoussa, A., Ly, S., Shan, S.T., Laugier, J., Boilard, E., Gilbert, C. and Provost, P. (2017) *A subset of extracellular vesicles carries the bulk of microRNAs in commercial dairy cow's milk* J. Extracell. Vesicles, **6**: 1401897

Bhome, R., Del Vecchio, F., Lee, G-H., Bullock, M.D., Primrose, J.N., Sayan, A.E. and Mirnezami, A.H. (2018) *Exosomal microRNAs (exomiRs): small molecules with a big role in cancer* Canc. Lett., **420**, 228-235

Bihl, J., Wang, J., Ma, X., Yang, Y., Zhao, B. and Chen, Y. (2018) *Exosome and MiRNA in stroke* In Cellular and Molecular Approaches to Regeneration and Repair (ed. Lapchak, P.A. and Zhang, J.H.) **Chapter 17** Springer Series in Translational Stroke Research pp. 325-361

Chen, L. and Brigstock, D.R. (2017) *Cellular or exosomal microRNAs associated with CCN gene expression in liver fibrosis* In CCN Proteins: Methods and Protocols, Methods Mol. Biol., **1489** (ed. Takigawa, M.) Springer Science+Business Media, New York, pp 465-480

Conley, A., Minciocchi, V.R., Lee, D.H., Knudsen, B.S., Karlan, B.Y., Citrigno, L., Viglietto, G. et al (2017) *High-throughput sequencing of two populations of extracellular vesicles provides an mRNA signature that can be detected in the circulation of breast cancer patients* RNA Biol., **14**, 305–316

- Cooks, T.**, Pateras, I.S., Jenkins, L.M., Patel, K.M., Robles, A.I., Morris, J., Forshew, T., Appella, E., Gorgoulis, V.G. and Harris, C.C. (2018) *Mutant p53 cancers reprogram macrophages to tumor supporting macrophages via exosomal miR-1246* Nat. Comm., **9**: 771
- Dai, W.**, Su, L., Lu, H., Dong, H. and Zhang, X. (2020) *Exosomes-mediated synthetic Dicer substrates delivery for intracellular Dicer imaging detection* Biosens. Bioelectron., **151**: 111907
- Everaert, C.**, Helmoortel, H., Decock, A., Hulstaert, E., Van Paemel, R., Verniers, K., Nuytens, J., Anckaert, J. et al (2019) *Performance assessment of total RNA sequencing of human biofluids and extracellular vesicles* Sci. Rep., **9**: 17574
- Iltjas, J.D.**, Guanzon, D., Elfeky, O., Rice, G.E. and Salomon, C. (2017) *Bio-compartmentalization of microRNAs in exosomes during gestational diabetes mellitus* Placenta, **54**, 76-82
- Jeppesen, D.K.**, Fenix, A.M., Franklin, J.L., Rome, L.H., Burnette, D.T., Coffey, R.J. (2019) *Reassessment of exosome composition* Cell, **177**, 428–445
- Kinoshita, T.**, Yip, K.W., Spence, T. and Liu, F-F. (2017) *MicroRNAs in extracellular vesicles: potential cancer biomarkers* J. Hum. Genet., **62**, 67–74
- Lässer, C.** (2019) *Mapping extracellular RNA sheds lights on distinct carriers* Cell, **177**, 228-230
- Li, Z.**, Wang, H., Yin, H., Bennett, C., Zhang, H-g. and Guo, P. (2018) *Arrowtail RNA for ligand display on ginger exosome-like nanovesicles to systemic deliver siRNA for cancer suppression* Sci. Rep., **8**: 14644
- Liang, Y.**, Huang, S., Qiao, L., Peng, X., Li, C., Lin, K., Xie, G., Li, J. et al (2019) *Characterization of protein, long noncoding RNA and microRNA signatures in extracellular vesicles derived from resting and degranulated mast cells* J. Extracell. Vesicles **9**: 1697583
- Lindner, K.**, Haier, J., Wang, Z., Watson, D.I., Hussey, D.J. and Hummel, R. (2015) *Circulating microRNAs: emerging biomarkers for diagnosis and prognosis in patients with gastrointestinal cancers* Clin. Sci., **128**, 1–15
- Lunavat, T.R.**, Jang, S.C., Nilsson, L., Park, H.T., Repiska, G., Lässer, C., Nilsson, J.A., Gho, Y.S. and Lötval, J. (2016) *RNAi delivery by exosome-mimetic nanovesicles - Implications for targeting c-Myc in cancer* Biomaterials, **10**, 231-238
- Milosavljevic, A.** (2019) *Distinct extracellular RNA cargo types associate with specific vesicular and non-vesicular RNA carriers across human biofluids* J. Extracell. Ves., **8** (Suppl.1) OF19.01
- Murillo, O.D.**, Thistlethwaite, W., Rozowsky, J., Subramanian, S.L., Lucero, R., Shah, N., Jackson, A.R., Srinivasan, S., Chung, A., Laurent, C.D. et al (2019) *exRNA atlas analysis reveals distinct extracellular RNA cargo types and their carriers present across human biofluids* Cell, **177**, 463–477
- Pi, F.**, Binzel, D.W., Lee, T.J., Li, Z., Sun, M., Rychahou, P., Li, H., Haque, F. et al (2018) *Nanoparticle orientation to control RNA loading and ligand display on extracellular vesicles for cancer regression* Nat. Nanotech., **13**, 82–89
- Quek, C.**, Bellingham, S.A., Jung, C-H., Scicluna, B.J., Shambrook, M.C., Sharples, R.A., Cheng, L. and Hill, A.F. (2017) *Defining the purity of exosomes required for diagnostic profiling of small RNA suitable for biomarker discovery* RNA Biol., **14**, 245–258
- Quek, C.**, Jung, C-h., Bellingham, S.A., Lonie, A. and Hill, A.F. (2015) *ISRAP - a one-touch research tool for rapid profiling of small RNA-seq data* J. Extracell. Vesicles **4**: 29454
- Reshke, R.**, Taylor, J.A., Savard, A., Guo, H., Rhym, L.H., Kowalski, P.S., Trung, M.T., Campbell, C., Little, W. et al (2020) *Reduction of the therapeutic dose of silencing RNA by packaging it in extracellular vesicles via a pre-microRNA backbone* Nat. Biomed. Engin., **52**, 52–68
- Small, J.**, Alexander, R. and Balaj, L. (2018) *Overview of protocols for studying extracellular RNA and extracellular vesicles* In Extracellular RNA: Methods and Protocols, Methods in Mol. Biol., **1740** (ed. Patel, T.) Springer Science+Business Media, New York, pp 17-21
- Srinivasan, S.**, Yeri, A., Cheah, P.S., Chung, A., Danielson, K., De Hoff, P., Filant, J., Laurent, C.D., Laurent, L.D. et al (2019) *Small RNA sequencing across diverse biofluids identifies optimal methods for exRNA isolation* Cell, **177**, 446–462
- Stremersch, S.**, Vandenbroucke, R.E., VanWanterghemb, E., Hendrix, A., De Smedt, S.C. and Raemdonck, K. (2016) *Comparing exosome-like vesicles with liposomes for the functional cellular delivery of small RNAs* J. Control. Release, **232**, 51–61
- Suwakulsiri, W.**, Rai, A., Xu, R., Chen, M., Greening, D. and Simpson, R. (2019) *Shed microvesicles released from human primary and metastatic colorectal cancer cell lines contain key cancer progression proteins and RNA species* J. Extracell. Ves., **8** (Suppl.1) OWP3.07=PF12.07
- Temoche-Diaz, M.**, Shurtleff, M., Nottingham, R., Yao, J., Lambowitz, A. and Schekman, R. (2019) *Distinct mechanisms of microRNA sorting into cancer cell-derived extracellular vesicle subtypes* J. Extracell. Ves., **8** (Suppl.1) OT04.06
- Van Deun, J.**, Mestdagh, P., Sormunen, R., Cocquyt, V., Vermaelen, K., Vandesompele, J., Bracke, M., De Wever, O. and Hendrix, A. (2014) *The impact of disparate isolation methods for extracellular vesicles on downstream RNA profiling* J. Extracell. Vesicles **3**: 24858

- Yan, W.**, Wu, X., Zhou, W., Fong, M.Y., Cao, M., Liu, J., Liu, X., Chen, C-H., Fadare, O., Pizzo, D.P. (2018) *Cancer-cell-secreted exosomal miR-105 promotes tumour growth through the MYC-dependent metabolic reprogramming of stromal cells* Nat. Cell Biol., **20**, 597–609
- Ying, W.**, Riopel, M., Bandyopadhyay, G., Dong, Y., Birmingham, A., Seo, J.B., Ofrecio, J.M., Wollam, J. et al (2017) *Adipose tissue macrophage-derived exosomal miRNAs can modulate in vivo and in vitro insulin sensitivity* Cell, **171**, 372–384
- Zheng, Z.**, Li, Z., Xu, C., Guo, B. and Guo, P. (2019) *Folate-displaying exosome mediated cytosolic delivery of siRNA avoiding endosome trapping* J. Control. Release **311–312**, 43–49
- Zocco, D.** and Zarovni, N. (2017) *Extraction and analysis of extracellular vesicle-associated miRNAs following antibody-based extracellular vesicle capture from plasma samples* In Extracellular Vesicles: Methods and Protocols, Methods Mol. Biol., **1660**, (ed. Kuo, W.P. and Jia, S.) Springer Science+Business Media, LLC, pp 269-285

Saliva, see “Human saliva”

Schistosoma

- Meningher, T.**, Lerman, G., Regev-Rudzki, N., Gold, D., Ben-Dov, I.Z., Sidi, Y., Avni, D. and Schwartz, E. (2017) *Schistosomal microRNAs isolated from extracellular vesicles in sera of infected patients: a new tool for diagnosis and follow-up of human schistosomiasis* J. Infect. Dis., **215**, 378–86
- Sotillo, J.**, Pearson, M., Potriquet, J., Becker, L., Pickering, D., Mulvenna, J. and Loukas, A. (2016) *Extracellular vesicles secreted by Schistosoma mansoni contain protein vaccine candidates* Int. J. Parasitol., **46**, 1–5

Seminal fluid

- Ouattara, L.A.**, Anderson, S.M. and Donce, G.F. (2018) *Seminal exosomes and HIV-1 transmission* Andrologia, **50**: e13220

Senescence

- Borghesan, M.**, Fafián-Labora, J., Eleftheriadou, O., Carpintero-Fernández, P., Paez-Ribes, M., Vizcay-Barrena, G., Swisa, A., Kolodkin-Gal, D., Ximénez-Embún, P. et al (2019) *Small extracellular vesicles are key regulators of non-cell autonomous intercellular communication in senescence via the interferon protein IFITM3* Cell Rep., **27**, 3956–3971

Sheep hyatid cysts

- Siles-Lucas, M.**, Sánchez-Ovejero, C., González-Sánchez, M., González, E., Falcón-Pérez J.M., Boufana, B., Fratini, F., Casulli, A. and Manzano-Román, R. (2017) *Isolation and characterization of exosomes derived from fertile sheep hydatid cysts* Vet. Parasitol., **236**, 22–33

Skeletal muscle cells

- Le Bihan, M-C.**, Bigot, A., Jensen, S.S., Dennis, J.L., Rogowska-Wrzesinska, A., Lainé, J., Gache, V., Furling, D., Jensen, O.N. et al (2012) *In-depth analysis of the secretome identifies three major independent secretory pathways in differentiating human myoblasts* J. Proteom., **77**, 344-356
- Vechetti, I.J. Jr.** (2019) *Emerging role of extracellular vesicles in the regulation of skeletal muscle adaptation* J. Appl. Physiol., **127**, 645– 653

Stem cells

- Abraham. A.**, Krasnodembskaya, A. (2020) *Mesenchymal stem cell-derived extracellular vesicles for the treatment of acute respiratory distress syndrome* Stem Cells Transl Med. **9**, 28–38
- Chen, J.** and Chopp, M. (2018) *Exosome therapy for stroke* Stroke, **49**, 1083-1090
- Collino, F.**, Pomatto, M., Bruno, S., Lindoso, R.S., Tapparo, M., Sicheng, W., Quesenberry, P. and Camussi, G. (2017) *Exosome and microvesicle-enriched fractions isolated from mesenchymal stem cells by gradient separation showed different molecular signatures and functions on renal tubular epithelial cells* Stem Cell Rev. Rep., **13**, 226–243
- Crain, S.K.**, Robinson, S.R., Thane, K.E., Davis, A.M., Meola, D.M., Barton, B.A, Yang, V.K. and Hoffman, A.M. (2019) *Extracellular vesicles from Wharton’s Jelly mesenchymal stem cells suppress CD4 expressing T cells through transforming growth factor beta and adenosine signaling in a canine model* Stem Cells Devel., **28**, 212-226

- Cruz, F.F.**, Lins de Castro, L. and Rieken Macedo Rocco, P. (2018) *Preparation of extracellular vesicles from mesenchymal stem cells* In Stem Cell Drugs - A New Generation of Biopharmaceuticals, Stem Cells in Clinical Applications, (ed Pham, P.V.) Springer Nature Switzerland AG pp 37-51
- Gorgun, C.**, Reverberi, D., Rotta, G., Villa, F., Quarto, R. and Tasso, R. (2019) *Isolation and flow cytometry characterization of extracellular-vesicle subpopulations derived from human mesenchymal stromal cells* Curr. Protocols in Stem Cell Biol., **48**: e76, Wiley Online Library
- Herrera Sanchez, M.B.**, Previdi, S., Bruno, S., Fonsato, V., Deregibus, M.C., Kholia, S., Petrillo, S., Tolosano, E., Critelli, R. et al (2017) *Extracellular vesicles from human liver stem cells restore argininosuccinate synthase deficiency* Stem Cell Res. Ther., **8**: 176
- Kim, H-S.**, Choi, D-Y., Yun, S.J., Choi, S-M., Kang, J.W., Jung, J.W., Hwang, D., Kim, K.P. and Kim, D-W. (2012) *Proteomic analysis of microvesicles derived from human mesenchymal stem cells* J. Proteome Res., **11**, 839–849
- Kim, H.Y.**, Kumar, H., Jo, M-J., Kim, J., Yoon, J-K., Lee, J-R., Kang, M., Choo, Y.W., et al (2018) *Therapeutic efficacy-potentiated and diseased organ-targeting nanovesicles derived from mesenchymal stem cells for spinal cord injury treatment* Nano Lett., **18**, 4965–4975
- Lai, R.C.**, Yeo, R.W.Y., Tan, K.H. and Lim, S.K. (2013) *Exosomes for drug delivery — a novel application for the mesenchymal stem cell* Biotechnol. Adv., **31**, 543–551
- Lee, J.H.**, Park, J. and Lee, J-W. (2019) *Therapeutic use of mesenchymal stem cell–derived extracellular vesicles in acute lung injury* Transfusion **59**, 876–883
- Lee, J.Y.**, Kim, E., Choi, S-M., Kim, D-W., Kim, K.P., Lee, I. and Kim, H-S. (2016) *Microvesicles from brain-extract-treated mesenchymal stem cells improve neurological functions in a rat model of ischemic stroke* Sci. Rep., **6**: 33038
- Shi, Y.**, Shi, H., Nomi, A., Lei-Lei, Z., Zhang, B. and Qian, H. (2019) *Mesenchymal stem cell-derived extracellular vesicles: a new impetus of promoting angiogenesis in tissue regeneration* Cytotherapy, **21**, 497-508
- Skalnikova, H.K.** (2013) *Proteomic techniques for characterisation of mesenchymal stem cell secretome* Biochimie, **95**, 2196-2211
- Sutaria, D.S.**, Badawi, M., Phelps, M.A. and Schmittgen, T.D. (2017) *Achieving the promise of therapeutic extracellular vesicles: the devil is in details of therapeutic loading* Pharm. Res., **34**, 1053-1056
- Van Balkom, B.W.M.**, Gremmels, H., Giebel, B. and Lim, S.K. (2019) *Proteomic signature of mesenchymal stromal cell-derived small extracellular vesicles* Proteomics, **19**: 1800163
- Willis, G.R.**, Kourembanas, S. and Mitsialis, S.A. (2017) *Therapeutic applications of extracellular vesicles: perspectives from newborn medicine in extracellular vesicles* In Methods and Protocols, Methods Mol. Biol., **1660**, (ed. Kuo, W.P. and Jia, S.) Springer Science+Business Media, LLC, pp 409-432
- Yao, X.**, Wei, W., Wang, X., Chenglin, L., Björklund, M. and Ouyang, H. (2019) *Stem cell derived exosomes: microRNA therapy for age-related musculoskeletal disorders* Biomaterials, **224**: 119492

Stroke therapy

- Bihl, J.**, Wang, J., Ma, X., Yang, Y., Zhao, B. and Chen, Y. (2018) *Exosome and MiRNA in stroke* In Cellular and Molecular Approaches to Regeneration and Repair (ed. Lapchak, P.A. and Zhang, J.H.) **Chapter 17** Springer Series in Translational Stroke Research pp. 325-361
- Chen, J.** and Chopp, M. (2018) *Exosome therapy for stroke* Stroke, **49**, 1083-1090
- Lee, J.Y.**, Kim, E., Choi, S-M., Kim, D-W., Kim, K.P., Lee, I. and Kim, H-S. (2016) *Microvesicles from brain-extract-treated mesenchymal stem cells improve neurological functions in a rat model of ischemic stroke* Sci. Rep., **6**: 33038

Subpopulations of exosomes

- Boere, J.**, van de Lest, C.H.A., Libregts, S.F.W.M., Arkesteijn, G.J.A., Geerts, W.J.C., Nolte-’t Hoen, E.N.M., Malda, J., van Weeren, P.R. and Wauben, M.H.M. (2016) *Synovial fluid pretreatment with hyaluronidase facilitates isolation of CD44+ extracellular vesicles* J. Extracell. Vesicles, **5**: 31751
- Collino, F.**, Pomatto, M., Bruno, S., Lindoso, R.S., Tapparo, M., Sicheng, W., Quesenberry, P. and Camussi, G. (2017) *Exosome and microvesicle-enriched fractions isolated from mesenchymal stem cells by gradient separation showed different molecular signatures and functions on renal tubular epithelial cells* Stem Cell Rev. Rep., **13**, 226–243
- Hui, W.W.**, Hercik, K., Belsare, S., Alugubelly, N., Clapp, B., Rinaldi, C. and Edelman, M.J. (2018) *Salmonella enterica serovar Typhimurium alters the extracellular proteome of macrophages and leads to the production of proinflammatory exosomes* Infect. Immun., **86**: e00386-17
- Klingeborn, M.**, Dismuke, W.M., Skiba, N.P., Kelly, U., Stamer, W.D. and Rickman, C.B. (2017) *Directional exosome proteomes reflect polarity-specific functions in retinal pigmented epithelium monolayers* Sci. Rep., **7**: 4901

- Lässer, C.**, Jang, S.C. and Lötval, J. (2018) *Subpopulations of extracellular vesicles and their therapeutic potential* Mol. Aspects Med., **60**, 1-14
- Lázaro-Ibáñez, E.**, Lässer, C, Shelke, G.V., Crescitelli, R., Jang, S.C., Cvjetkovic, A., García-Rodríguez, A. and Lötval, J. (2019) *DNA analysis of low- and high-density fractions defines heterogeneous subpopulations of small extracellular vesicles based on their DNA cargo and topology* J. Extracell. Ves., **8**: 1656993
- Luo, X.**, Fan, Y., Park, I-W. and He, J.J. (2015) *Exosomes are unlikely involved in intercellular Nef transfer* PLoS One, **10**: e0124436
- Rupert, D.L.M.**, Shelke, G.V., Emilsson, G., Claudio, V., Block, S. Lässer, C., Dahlin, A., Lötval, J.O., Bally, M., Zhdanov, V.P. and Höök, F. (2016) *Dual-wavelength surface plasmon resonance for determining the size and concentration of sub-populations of extracellular vesicles* Anal. Chem., **88**, 9980–9988
- Rupert, D.L.M.**, Claudio, V., Lässer, C. and Bally, M. (2017) *Methods for the physical characterization and quantification of extracellular vesicles in biological samples* Biochim. Biophys. Acta, **1861**, 3164–3179
- Rupert, D.L.M.**, Mapar, M., Shelke, G.V., Norling, K., Elmeskog, M., Lötval, J.O., Block, S., Bally, M., Agnarsson, B. and Höök, F. (2017) *Effective refractive index and lipid content of extracellular vesicles revealed using optical waveguide scattering and fluorescence microscopy* Langmuir, **34**, 8522–8531
- Xu, R.**, Simpson, R.J. and Greening, D.W. (2017) *A protocol for isolation and proteomic characterization of distinct extracellular vesicle subtypes by sequential centrifugal ultrafiltration* In Exosomes and Microvesicles Methods and Protocols: Methods Mol. Biol., **1545** (ed. Hill, A.F.), Springer Science+Business Media, LLC, pp 91-116
- Zabeo, D.**, Cvjetkovic, A., Lässer, C., Schorb, M., Lötval, J. and Höög, J.L. (2017) *Exosomes purified from a single cell type have diverse morphology* J. Extracell. Ves., **6**: 1329476

Suprachiasmatic nuclei cells

- Soetedjo, L.** and Jin, H. (2014) *Agonist-induced GPCR shedding from the ciliary surface is dependent on ESCRT-III and VPS4* Curr., Biol., **24**, 509-518

Synovial fluid and synoviocytes (fibroblast-like)

- Boere, J.**, van de Lest, C.H.A., Libregts, S.F.W.M., Arkesteijn, G.J.A., Geerts, W.J.C., Nolte-’t Hoen, E.N.M., Malda, J., van Weeren, P.R. and Wauben, M.H.M. (2016) *Synovial fluid pretreatment with hyaluronidase facilitates isolation of CD44+ extracellular vesicles* J. Extracell. Vesicles, **5**: 31751
- Edhayan, G.**, Ohara, R.A., Stinson, W.A., Amin, M.A., Isozaki, T., Ha, C.M., Haines III, K., Morgan, R. et al (2016) *Inflammatory properties of inhibitor of DNA binding 1 secreted by synovial fibroblasts in rheumatoid arthritis* Arthritis Res. Ther., **18**: 87
- Morgan, R.L.**, Behbahani-Nejad, N., Endres, J., Amin, M.A., Lepore, N.J., Du, Y., Urquhart, A., Chung, K.C. and Fox, D.A. (2016) *Localization, shedding, regulation and function of aminopeptidase N/CD13 on fibroblast like synoviocytes* PloS One, **11**: e0162008

Synthetic exosomes

- Jhan, Y-Y.**, Prasca-Chamorro, D., Zuniga, G.P., Moore, D.M., Kumar, S.A., Gaharwar, A.K. and Bishop, C.J. (2020) *Engineered extracellular vesicles with synthetic lipids via membrane fusion to establish efficient gene delivery* Int. J. Pharmaceut., **573**: 118802

Thyroid follicle

- Degosserie, J.**, Heymans, C., Spourquet, Halbout, M., D’Auria, L., Van Der Smissen, P., Vertommen, D., Courtoy, P.J., Tyteca, D. and Pierreux, C.E. (2018) *Extracellular vesicles from endothelial progenitor cells promote thyroid follicle formation* J. Extracell. Vesicles (2028) **7**: 1487250

Trabecular meshwork cells

- Dismuke, W.M.**, Klingeborn, M. and Stamer, W.D. (2016) *Mechanism of fibronectin binding to human trabecular meshwork exosomes and its modulation by dexamethasone* PLoS One, **11**: e0165326

Trophoblasts

- Ouyang, Y.**, Bayer, A., Chu, T., Tyurin, V., Kagan, V., Morelli, A.E., Coyne, C.B. and Sadovsky, Y. (2016) *Isolation of human trophoblastic extracellular vesicles and characterization of their cargo and antiviral activity* Placenta, **47**, 86-95
- Truong, G.**, Guanzon, D., Kinhal, V., Elfeky, O., Lai, A., Longo, S., Nuzhat, Z., Palma, C. et al (2017) *Oxygen tension regulates the miRNA profile and bioactivity of exosomes released from extravillous trophoblast cells - liquid biopsies for monitoring complications of pregnancy* PLoS One, **12**: e0174514

Tumour epithelial cells; see “Epithelial (cancer related)”

Tumour innervation

Madeo, M., Colbert, P.L., Vermeer, D.W., Lucido, C.T., Cain, J.T., Vichaya, E.G., Grossberg, A.J., Muirhead, D., Rickel, A.P., Hong, Z. et al (2018) *Cancer exosomes induce tumor innervation* Nat. Comm., **9**:4284

Urinary/urology

Fraser, K.B., Moehle, M.S., Daher, J.P.L., Webber, P.J., Williams, J.Y., Stewart, C.A., Yacoubian, T.A., Cowell, R.M., Dokland, T., Ye, T. et al (2013) *LRRK2 secretion in exosomes is regulated by 14-3-3* Hum. Mol. Genet., **22**, 4988–5000

Dhondt, B., Vergauwen, G., Van Deun, J., Geurickx, E., Claeys, T., Poelaert, F., Buelens, S., Hendrix, A., De Wever, O. and Lumen, N. (2017) *Purification of urinary extracellular vesicles for uro-oncological biomarker studies using an iodixanol (Optiprep™) density gradient* Eur. Urol. Suppl., **16**, e1078

Dhondt, B., Van Deun, J., Vermaerke, S., de Marco, A., Lumen, N., De Wever, O. and Hendrix, A. (2018) *Urinary extracellular vesicle biomarkers in urological cancers: From discovery towards clinical implementation* Int. J. Biochem. Cell Biol., **99**, 236–256

Dhondt, B., Vergauwen, G., Van Deun, J., Geurickx, E., Tulkens, J., Lippens, L., Miinalainen, I., Rappu, P., Heino, J. et al (2018) *Repeatable, high-purity isolation of urinary extracellular vesicles for uro-oncological biomarker studies* J. Extracell. Ves., **7**, Suppl. 1, Abstr. # PS04.02

Dong, L., Zieren, R.C., Wang, Y., de Reijke, T.M., Xu, W., Pienta, K.J., (2019) *Recent advances in extracellular vesicle research for urological cancers: From technology to application* BBA Rev. Cancer, **1871**, 342–360

McNicholas, K., Li, J.Y., Michael, M.Z., and Gleadle, J.M. (2017) *Albuminuria is not associated with elevated urinary vesicle concentration but can confound nanoparticle tracking analysis* Nephrology, **22**, 854–863

Mizutani, K., Kawakami, K., Horie, K., Fujita, Y., Kameyama, K., Kato, T., Nakane, K., Tsuchiya, T. et al (2019) *Urinary exosome as a potential biomarker for urinary tract infection* Cell. Microbiol., **21**: e13020

Murillo, O.D., Thistlethwaite, W., Rozowsky, J., Subramanian, S.L., Lucero, R., Shah, N., Jackson, A.R., Srinivasan, S., Chung, A., Laurent, C.D. et al (2019) *exRNA atlas analysis reveals distinct extracellular RNA cargo types and their carriers present across human biofluids* Cell, **177**, 463–477

Mussack, V., Wittmann, G. and Pfaffl, M.W. (2019) *Biomol Detect, Quantif.*, **17**: 100089 *Enabling robust and non-invasive biomarker research*

Pan, S., Pei, L., Zhang, A., Zhang, Y., Zhang, C., Huang, M., Huang, Z., Liu, B. et al (2020) *Passion fruit-like exosome-PMA/Au-BSA@Ce6 nanovesicles for real-time fluorescence imaging and enhanced targeted photodynamic therapy with deep penetration and superior retention behavior in tumor* Biomaterials **230**: 119606

Svenningsen, P., Sabaratnam, R. and Jensen, B.L. (2020) *Urinary extracellular vesicles: Origin, role as intercellular messengers and biomarkers; efficient sorting and potential treatment options* Acta Physiologica, **228**: e13346

Urogenital cancers

Nawaz, M., Camussi, G., Valadi, H., Nazarenko, I., Ekström, K., Wang, X. et al (2014) *The emerging role of extracellular vesicles as biomarkers for urogenital cancers* Nat. Rev. Urol., **11**, 688–701

Wu, Z., Zhang, Z., Xia, W., Cai, J., Li, Y. and Wu, S. (2019) *Extracellular vesicles in urologic malignancies - Implementations for future cancer care* Cell Prolif., **52**: e12659

Zika virus

Zhou, W., Woodson, M., Sherman, M.B., Neelakanta, G. and Sultana, H. (2019) *Exosomes mediate Zika virus transmission through SMPD3 neutral sphingomyelinase in cortical neurons* Emerg. Microbes Infect., **8**, 307–326

OptiPrep™ Reference List RS10; 6th edition, January 2020